



LARSON PRODUCT CATALOGUE

2021-2022



Model 149FV Elegant Selection, shown in Black.

ADD A Larson Door

Add a Larson Door to any model of Madero door system in 32", 34" or 36" by standard 6/8" height. Available as factory installed or as DIY for existing doors in your home. A Larson storm door improves energy efficiency of the entryway by up to 80%. Please contact your Madero dealer for custom sizes and additional products available.

Elegant Selection Storm Door.....	3
Retractable Screen Away Storm Doors.....	4-7
Ventilating Storm Doors.....	8-11
Pet Storm Doors.....	12-13
Retractable Screen Doors.....	14-15
Retractable Wall Screen.....	16-17
Platinum Secure Storm Doors.....	18-19
Security Storm Doors.....	20-21
Exterior Storm Windows.....	24-25
ComfortSEAL Interior Windows.....	26
Measuring Storm Doors.....	27



Elegant Selection Storm Doors

Our best and most beautiful full glass doors offer the widest selection of color options to give your home a personalized look.

149 Elegant Selection



Handles sold separately

Door Colours



- Glass available in Clear or Clear Low E.
- Interchangeable screen included for seasonal ventilation.
- Decorative lever handle includes a built-in keyed deadbolt lock.
- 1-5/8" Maintenance-free aluminum frame and overlapping edge seal out weather.
- Double weatherstripping delivers superior weather protection.
- Two closer system provides a tight seal.
- Designer screw covers conceal exterior screws for a finished look.
- QuickFit™ handle sets offer multiple handle finishes.
- Sizes: 30", 32", 34", 36" Width x 80"-81" Height (30" and 34" in white only)
- Custom sizes available.



Model 146 EasyVent, shown in White.

Retractable Screen Away Storm Doors

Larson's Retractable Screen Away designs convert your storm door to a screen door instantly and discreetly rolls up and hides when not in use.

146 EasyVent Selection



Handles sold separately

Door Colours




- Glass available in Clear or Clear Low E.
- Closer features a Hold-Open button that holds the storm door open with a tap of your toe.
- Full glass design allows maximum natural light into home.
- 1-7/8" maintenance-free aluminum frame and overlapping edge seals out harsh weather.
- Double weatherstripping delivers superior weather protection.
- Designer screw covers conceal exterior screws for a finished look.
- Sizes: 30", 32", 34", 36" Width x 80"-81" Height (30" and 34" in white only)
- Custom sizes available.



Model 356-52 shown in White.

356 Superior Fullview



Door Colours



White

**SCREEN
AWAY**

- 1-3/8" thick aluminum frame; maintenance-free finish
- Full glass design allows maximum natural light into home
- Heavy duty weatherstrip with overlapping edges seals out weather.
- Decorative lever handle includes a built-in keyed lock
- Designer screw covers conceal exterior screws for a finished look
- Sizes: 32", 36" Width x 81" Height



Model 830. Retractable Screen Away, shown in White.



830 - Lifestyle Midview Series with Magnetic Seal



Colour



Handle




830

81" Height
32", 34", 36"

- Magnetic weatherstrip seals like a refrigerator.
- Retractable Screen Away® design offers the beauty of a clear view with the convenience of quick & easy ventilation.
- DuraTech® finish protects against age and weather.

370-81 - Life Core® Midview



Colour



Matching hardware included

370-81

81" Height
30", 32", 36"

- Maintenance-free frame and heavy duty weatherstripping block out harsh weather.
- 2/3 window offers increased sunlight.
- Surface finish protects against age and weather.




Model 288-SS, shown in Brown.

Ventilating Storm Doors

Let in the breeze when you want, and the way you want, with these ventilating doors!

Storm doors at a great value. Choose from all-metal frame construction or a tough, weather-resistant DuraTech® surface. Reversa Screen provides for top or bottom venting.



Colour

 Brown White

288-SS
 81" Height
 30", 32", 34", 36"

288-SS Value-Core® Single-Vent

- 1" thick solid core finished with a weather and age resistant surface.
- Traditional half-screen design adjusts for on-demand bottom ventilation.
- Built to withstand high traffic areas.
- Heavy duty weatherstrip system seals out weather.
- White handle on white door; black handle on brown door.




Model 283-ST, shown in White.

283-ST Traditional Single Vent



Colour



283-ST

81" Height
30", 32", 36"

- 1" thickness
- Decorative applied molding adds enhanced curb appeal to traditional half screen storm door.
- Solid core and maintenance-free aluminum finish provides weather resistance.
- White handle on white door; black handle on brown door.



Model 298-SS

298-SS Traditional Value Collection



Colour



White

298-SS

81" Height
30", 32", 34", 36"

- 1" thick solid core design.
- Maintenance-free vinyl finish provides weather resistance.
- Traditional half-screen adjusts for bottom ventilation.
- Handle included, black finish.




Model 370-50

370-50 Life-Core® Reversa Screen featuring WearTuff™ Screen



Colour



Brown White

370-50

80" - 81" Height
2/6, 2/8, 2/10, 3/0

- Wood core with Duratech finish.
- WearTuff™ screen is 3x stronger and tear resistant.
- Allows top or bottom ventilation.
- High traffic 5 hinge system provides extra durability.
- FlexGuard closer protects the door whenever extended and allows door to open past 90 degrees.
- Handles included, color matched to door.



Pet Storm Doors

Add curb appeal and a way to create your own distinctive look. The full glass with built-in-pet door provides easy access for your pet.



Model 149PV



Handles sold separately

Door Colours



149 PV Elegant Pet Door

- Built-in 8" x 12" pet door accommodates pets up to 40 pounds.
- Full glass design allows maximum natural light into home (screen not available with pet door model)
- Maintenance-free aluminum frame and overlapping edge seal out weather.
- Double weatherstrip delivers superior weather protection.
- Designer screw covers conceal exterior screws for a finished look.
- QuickFit™ handle sets offer multiple handle finishes to choose from.
- Two closer system: bottom closer features Hold Open button that holds storm door open with tap of toe; top closer adds dependable opening and closing.



Let your pet in and keep unwanted critters out with our built-in pet door. These half screen doors combine function and style, letting the light in while letting your pet in and out.



Model 370-79

370-79 Pet Door (Large)

- Built-in pet door has a 10" x 17" flap opening.
- Inside pet door security panel keeps intruders out.
- Traditional half-screen adjusts for bottom ventilation.
- Maintenance-free DuraTech® finish protects against age and weather.
- Width size: 32" or 36"
- Height: fits standard door 81"
- Color: White, Almond
- Hardware: Included, color matched



Model 370-78

370-78 Pet Door (X-Large)

- Built-in pet door has a 14-in x 23 in flap opening.
- Inside pet door security panel keeps intruders out.
- Traditional half-screen adjusts for bottom ventilation.
- Maintenance-free DuraTech® finish protects against age and weather.
- Width size: 32" or 36"
- Height: fits standard door 80 - 81"
- Color: White, Almond
- Hardware: Included, color matched





2002002

Brisa Retractable Screen Door - single.

Retractable Screen Doors


Escape®

- Self adjusting to fit uneven openings.
- Low maintenance screen is protected by cassette.
- Powder-coated finish is attractive and durable.
- 5 year limited warranty.

E100 Single: Width: 20" to 36-1/4" - Height: 78-1/2" to 80-1/2"
Width: 20" to 48" - Height: 91" to 93"

E200 Double: Width: 30" to 84" - Height: 79" to 81"
Width: 30" to 96" - Height: 91" to 93"
Custom sizes available

Colour



Inspire

- Self adjusting to fit uneven openings.
- Wheelchair accessible and handicap friendly with flat bottom.
- Fully assembled no-cut cassette.
- Low maintenance screen is protected by cassette.
- Powder-coated finish is attractive and durable.
- 5 year limited warranty.

INI00 Single: Width: 39" - Height: 70" to 81"
Custom: Width: 12" to 63" - Height: 24" to 125"

Colour



*For larger openings, call for quote.
Custom order also available in
black and almond.*



Pleated Design

Brisa

- Cassette on the right or left side of the screen door can be pulled side-to-side or retracted when the screen is not in use.
- Subtle strips to prevent walk through.
- Limited life time warranty.
- 30 minute installation.

- Quick snap track requires no cutting.
- Handles comes with latch lock to secure the door in place.

Colour



7721 Single Door

Sizes: Width: 32" to 36"
Height: 78" to 97"



7722 Double Door

Sizes: Width: 68" to 72"
Height: 78" to 97"



7723 Sliding Door

Sizes: Width: 32" to 36"
Height: 78" to 97"



Single Screen Panel (WS1000)



Retractable Wall Screens

The LARSON Retractable Wall Screen with Panoramic Views is an ideal solution for bi-folding, lift-n-slide and other large opening doors and windows. The screen panel offers a beautiful pleated fabric with easy, touch of a finger operation. With anywhere positioning, the screen stays where you move it.

Retractable Wall Screens

- Elegant pleated screen fabric.
- Fits openings up to 315" (26 1/4') wide by 118" (nearly 10') high.
- Single screen panel can open from either end Easy, touch of a finger operation that positions anywhere - the screen stays where you move it.
- Pre-assembled for fast and easy installation.
- Recess installation only.



Single Screen Panel (WS1000)

Single screen panel can be opened from either end. The single screen is designed to fit openings up to 24"-72" high x 24"-177" wide.

Colour



Black Brownstone Desert Tan White



Double Screen Panel (WS2000)

Double screen panel includes two screen panels that meet together in the middle. The double screen is designed to fit openings up to 24"-72" high by 40"-315" wide.

Colour



Black Brownstone Desert Tan White






Model 449-04 Platinum Secure Glass, shown in White Linen.

Platinum Secure Storm Doors

The Platinum Collection Dominator Secure Glass and Dominator Secure Screen are designed to keep intruders out. The Dominator shield is in between two glass panels.

449-04 Platinum Secure Glass



Handles sold separately

Door Colours



Dominator™



- Factory assembled for effortless installation. Out of box and on your home in minutes!



- Multi-point locking system secures door in three places for ultimate protection.





- Sleek built-in hidden closer with Click&Hold™ keeps the door open.

- Specify left-hinge or right-hinge as viewed from outside when ordering.
- Sizes: 32", 36" Width x 81" Height (custom size available)




Model 450-18 Platinum Secure Screen, shown in Graphite.

450-18 Platinum Secure Screen



Handles sold separately

Door Colours



**Dominator™
Screen**



- Factory assembled for effortless installation. Out of box and on your home in minutes!



- Multi-point locking system secures door in three places for ultimate protection.



- Sleek built-in hidden closer with Click&Hold™ keeps the door open.

- Specify left-hinge or right-hinge as viewed from outside when ordering.
- Sizes: 32", 36" Width x 81" Height (custom size available)




Model 920-21 in White

Security Storm Doors

Security starts at your front door. Protecting your home never looked so elegant. The heaviest duty storm doors on the market today, made of steel and built to last.

Guardsman Collection

The Guardsman Collection offers a complete line of steel security doors built to protect what matters most. Features a 3-piece tempered safety glass system, pneumatic closer and wind chain. Interchangeable insect screen sold separately.




Mesa
Model 920-31



Courtyard
Model 920-20



Garden View
Model 920-21



Soho
Model 920-36



Orleans
Model 920-02



Zions
Model 920-55

Features:

- Anti-Removal System includes a vault pin behind hinge rail and door for extra security.
- Heavy duty 1" x 2", 18-gauge steel frame for enhanced protection.
- Aluminum mounting rails with full weatherstrip block out harsh weather.
- Powder coated maintenance free finish.
- Includes a closer and windchain- 5 year warranty.

Deadbolts and knobs sold separately.

Any standard prime door hardware will fit with these noted dimensions: 2-3/8" backset, 2-1/8" hole diameter.

Sizes: Width: 32", 36"
Height: 81"

Colours



Welded tubular steel frame for superior strength.



Anti-removal vault pin for reinforced protection.



Heavy-duty 7" hinges for a secure mount.



Scenix™ Porch Windows with Retractable Screens



Outdoor Living. Reimagined.

LARSON is transforming outdoor living. As opposed to obstructive screens, Scenix™ offers panoramic views and makes it easy to capture natural air flow. Scenix™ is a whole new way to enjoy the outdoors while adding a unique living space the whole family will enjoy!

As porch living gains in popularity, Scenix™ is an innovative yet practical option for an enclosed porch project. From screen window replacement to new home construction, Scenix porch windows with retractable screens are the perfect way to stretch out the seasons and enjoy a comfortable space, free from bugs and other unpleasant elements.

- Tempered glass panels are 3/16" and offer expansive outside views.
- Top and bottom retractable screens let in fresh air while keeping bugs out.
- Unique design offers protection from the elements.
- Scenix™ is easy to install and can be tailored to fit every kind of porch



Popular Colours & Custom Sizes

Personalize your Scenix porch to match the look and feel of your home by selecting among our four color options and a wide range of standard and custom size porch window options.

Standard sizes:

(White Only)


44-1/2"W X 72"H	44-1/2"W X 84"H
56-1/2"W X 72"H	56-1/2"W X 84"H
68-1/2"W X 72"H	68-1/2"W X 84"H

Custom sizes:

(White, Sandstone, Brown, Black)

Rough opening widths from 24"W to 72"W
 Rough opening heights from 30"H to 96"H

Colour



Quad pulley balance system for smooth and reliable operation



Dual sashes with weatherstripping and interlocking rail create a tight seal



Stainless steel aircraft cable supports the counterbalanced sashes for easy ventilation



Sash lock for added protection and peace of mind




Screen Upgrade Available

4-in-1 Screen: provides superior privacy, better insect protection, enhanced solar protection and improved strength. Custom charges do apply.

Glass Upgrade Available

Upgrade your glass for more privacy, solar control and block up to 76% of harmful UV rays. Custom charges to apply to non-standard glass options*.



Fixed Glass Porch Window Available

Ideal for transoms, sidelites, knee walls or filler panels. Standard sizes available in fixed glass to match operating Scenix porch windows in 3/16" tempered clear glass. Available in White, Sandstone, Brown and Black. Custom sizes available as well as glass upgrades of Solarshield Grey or Solarshield Bronze.






Exterior Storm Windows

Storm windows are a budget-friendly way to not only increase energy savings, but also offer an economical option for adding living space to your home. Exterior insulating storm windows mount outside your home to provide superior protection and energy efficient performance.

Performance Series L201E Single Hung Storm Window



Colour




- Pre-punched installation holes for easy installation.
- Add Low-E glass for increase energy efficiency.
- Heavy-duty metal finger pulls and tilt keys for long life.
- High tempered T-6 aluminum master frame.
- Wrap around marine glazing for an added thermal barrier.
- Expander compensates for uneven sills.

L501E Fixed Storm Window



Colour




Mill Brown White


L301E Double Hung Storm Window



Colour



Mill Brown White



Storm window sizes are determined by measuring your existing window opening as shown above. Record smallest opening width A first and opening height B second. Round down to the nearest 1/8".

Premium Series Storm Windows

L503 Fixed Storm Window



Colour



Almond Brown Sandstone White

L603 Slider Storm Window



Colour



Almond Brown Sandstone White

L623 Fixed Slider Storm Window



Colour



Almond Brown Sandstone White

L203 Single Hung Storm Window



Colour



Almond Brown Sandstone White

- Double weatherstripping provides maximum protection against air infiltration.
- Tubular frame design adds strength and durability.
- Pocketed head, jamb and sill provides for an exceptionally tight fit.
- Pre-punched installation holes for easy installation.
- Heavy-duty metal finger pulls and tilt keys for long life.
- Expander compensates for uneven sills.
- Wrap around marine glazing for an added thermal barrier.
- High tempered T-6 aluminum master frame.
- Available in White, Brown, Almond, and Sandstone.



ComfortSEAL Interior Window


Interior windows mount inside your home to block drafts, reduce outside noise and increase energy efficiency.

- Installs inside the home and fits almost any window.
- High-performance Low-E glass makes your home more comfortable and reduces fading. All comfortSEAL windows available with Low-E glass.
- Low-E glass is EnergyStar® certified.
- Super easy installation in ten minutes with just a few screws.
- Limited lifetime warranty.



Picture

Colour




Pebblestone White Linen Woodland




Slider

Colour




Pebblestone White Linen Woodland



Single Hung

Colour



Pebblestone White Linen Woodland

Glass Options




Energy Star

- Installs inside the home and fits almost any window.
- High performance Low-E glass makes your home more comfortable and reduces fading.
- All comfortSEAL windows available with Low-E glass.
- Low-E glass is EnergyStar certified.
- Easy install in ten min. with few screws.
- Limited lifetime warranty.



Measuring Storm Doors



Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height
30" x 81"	29 7/8" to 30 3/8"	80" to 81"
32" x 81"	31 7/8" to 32 3/8"	
34" x 81"	33 7/8" to 34 3/8"	
36" x 81"	35 7/8" to 36 3/8"	

Size availability varies by model.
CUSTOM SIZES available in select models.

Mounting Guide

Platinum Collection (Surface Mount)

The rails mount directly to the face of the exterior brickmold and require a 3/4" wide mounting surface. Determine hinge side as viewed from outside.



Storm Doors (Recess Mount)

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.





Looking for a high quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



Entry Series



Designer Entry Series



Garden Patio Door Series



Artisan Doors



Multi-Family





Interior Doors



Commercial

Contact us at:
madero.ca | 1.800.667.6977

  @maderocanada

Brochure design by

