
INTERIORDOORS







INTERIORDOORS

2022-2023

Madero's interior door collections feature the latest designs and timeless classics, providing a range of style, material, and budget options to suit your specific needs. From renovations to new home construction, these doors will provide exceptional value and style for your home.

Interior doors are readily available in 6'8", 7'0", 8'0", or custom door slab heights, and standard widths. Hardware, frame and mounting options are available to ensure that your interior doors will complement the decor in every room.

6-16	Moulded Panel
8	Recessed Panel
10	Heritage Series
12	West End Collection
14	Classic Moulded Panel
16	Select Moulded Panel
18-21	Flush Panel
22-25	Stile & Rail
22	Mix & Match French Doors
23	One Lite French Doors
23	Panel Lite French Doors
24	Primed Engineered Wood
25	Wood Panel
26	Hinge Options
27	Wood Frame Options
28-35	Barn Doors
29-30	Barn Door Kits
31	Mix & Match Barn Door Kits
32	Easy Build Knock Down Kits
33	Synchronized Biparting Kits
	Ojmom omzou Biparting mito
34	Invisiglide Hardware
34 35	
•	Invisiglide Hardware
35	Invisiglide Hardware Across the Wall Hardware
35 36-37	Invisiglide Hardware Across the Wall Hardware Bifolds
35 36-37 38-42	Invisiglide Hardware Across the Wall Hardware Bifolds Bypass
35 36-37 38-42 43-46	Invisiglide Hardware Across the Wall Hardware Bifolds Bypass Decorative
35 36-37 38-42 43-46 44	Invisiglide Hardware Across the Wall Hardware Bifolds Bypass Decorative Bypass





MADERO. DOORS FOR LIFE.

Modern, contemporary, colonial, or eclectic, Madero has a deep respect for the subtleties of timeless design, but it doesn't end there. Partnering with innovative manufacturers and offering industry-leading warranties, Madero's selection of doors stand the test of time.

Take a look, and see what you find. For more, visit us online at www.madero.ca.

MOULDED PANEL

Madero is proud to partner with Masonite® to provide moulded panel doors that have been transforming interiors for over 80 years. Together we are relentlessly committed to delivering product, service and design innovations which will enhance the beauty and functionality of your home.

Quality Is Our Standard

Moulded panel doors from Masonite are more durable and resist warping, shrinking and cracking. These beautifully engineered doors are available in a smooth or textured woodgrain finish, with matching bifolds to suit any decor. They come in a wide range of widths and heights and are primed for easy finishing. By-product wood chips and timber from sustainably managed forests are used at Masonite facilities, with a commitment to environmental excellence in every step of the door manufacturing process.








Hollow Core

- · Perfect solution for budget-minded customers.
- 1-3/8" or 1-3/4" thickness available; primed white and ready to paint.
- Contains pre-consumer recycled content, resource efficient materials and a honeycomb core.



Safe 'N Sound® Solid Core

- For reduced sound transmission; ideal for bathrooms and bedrooms where privacy and safety are a concern.
- 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.
- 20 minute fire rating available in 1-3/4" thickness only.
- Offers heft and feel of solid wood; primed white and ready to paint.
- Manufactured with DorCor[™], a low density fiberboard made from wheat straw (annually renewable, agricultural, wheat by-product).



Safe 'N Sound® Emerald™ Solid Core

- Ideal product for allergen-sensitive customers requiring optimal air quality.
- 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.
- 20 minute fire rating available in 1-3/4" thickness only.
- Offers heft and feel of solid wood; primed white and ready to paint.
- Forest Stewardship Council (FSC) certified wood, containing environmentally preferred products: low emissions adhesives and sealants, extremely low VOC emissions, and no added urea-formaldehyde (NAUF).









RECESSED PANEL SERIES

Livingston Recessed Panel Slab

Door Paintable recessed panel; smooth primed surface

Core Hollow core 1-3/8" or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

Optional Safe 'N Sound® Solid Core, Emerald Series

Warranty 1 year limited









Winslow 3-Panel

HERITAGE SERIES

Moulded Shaker Panel Slab

Door Paintable moulded panel; smooth primed surface

Core Hollow core 1-3/8" or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

Optional Safe 'N Sound® Solid Core, Emerald Series

Warranty 1 year limited

Masonite's Heritage®
Series features stile and rail inspired designs with clean, simple lines that will provide a distinctive look for any interior decor. For increased privacy and sound reduction, choose the solid core option.



Shaker Style Detail



Lincoln Park LINC 1-Panel Equal



Winslow WINS 3-Panel: 1 Square Panel with 2 Vertical Panels (Not available in 96" height)



Logan LOGAN 2-Panel





Berkley 6-Panel Equal with I Vertical Panel

WEST END COLLECTION

Moulded Grooved Panel Slab

Door Paintable moulded panel; smooth primed surface

Core Hollow core or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)


Optional Safe 'N Sound® Solid Core, Emerald Series

Warranty 1 year limited

Masonite's West End™ Collection features metropolitan inspired designs with bold, graphic lines for eye-catching profiles. These clean, simple styles will complement any contemporary interior decor. For increased privacy and sound reduction, choose the solid core option. West End doors are very affordable, giving you the most value for a modern look.



Berkley BER 6-Panel Equal with 1 Vertical Panel



Melrose MEL 6-Panel Equal (Not recommended for double doors)

13





Roman

CLASSIC MOULDED PANEL

Classic Moulded Raised Panel Slab

Door Paintable moulded panel; textured woodgrain or smooth

primed surface

Core Hollow core or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

Optional Safe 'N Sound® Solid Core, Emerald Series

Warranty 1 year limited

The Masonite Classics™ Moulded Panel Series is the industry benchmark for all moulded wood doors and features five popular door designs.



Carrara CARR • 2PSM Smooth only



Classique CLASS • 2ARTX Textured: 80" only



Colonist COL • 6PTX/SM Smooth or Textured



Coventry COV • 4PSM Smooth only



Roman ROM • 2ROMNSM Smooth only: (96" height not available in bifold)





Riverside 6-Panel Equal (8/0)

SELECT MOULDED PANEL

Select Moulded Panel Slab

Door Paintable moulded panel; smooth primed surface

Core Hollow core or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

Optional Safe 'N Sound' Solid Core, Emerald Series

Warranty 1 year limited

The SELECT™ Collection is a special edition of the Moulded Panel Series, honouring more than 80 years of Masonite's heritage of innovation. These classic designs with a smooth, primed surface offer the ultimate in wood door authenticity.



Cheyenne CHEY 2-Panel Camber Top Plank; 80" or 96" height only



Riverside RIV 5-Panel Equal (80", 84"); 6-Panel Equal (96")

FLUSH PANEL



Uniform Light Birch Flush Panel Door

Flush panel doors provide a modern architectural look with natural beauty for smaller budget renovations. Choose from hardboard, natural wood veneer or prefinished panels.

Slab

Door Hardboard or wood veneer with high-quality wood

conditioner; or factory prefinished with high-quality topcoat

Core Hollow core or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"

Height 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10),

36" (3/0), 42" (3/6), 48" (4/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rating 20, 45, 60, and 90 minute (1-3/4" thickness only)

Optional Matching wood species, all sides; prefinishing


Custom sizes available

Warranty Residential grade - 1 year limited;

Commercial grade - 3 year limited

Unfinished Wood Flush Panels

(Requires Primer, Paint or Stain)



Primed Hardboard (MDF)




Natural Birch



Uniform Light Birch









Unfinished Wood Flush Panels



Flat Sliced Red Oak

(Requires Primer, Paint or Stain)



Hardwood

Factory Prefinished Flush Panels



Driftwood Oak



Newport Cherry

(No Finishing Required)



Marquis Oak

STILE & RAIL SERIES

FRENCH DOOR MIX & MATCH PROGRAM



Step 1: Pick Your Rim

Handcrafted wood or primed engineered wood stile and rail designs can be mixed and matched with contemporary glass textures, creating combinations to complement your interior style.

Wood Veneer or Primed Engineered Rim

Door Primed engineered wood or

Maple hardwood veneer

Profile Raised Panel Ovolo Sticking (A)

Thickness 1-3/8"


Height 80" (6/8)

Passage 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 36" (3/0)

Warranty 1 year limited

Sticking Profile






Step 2: Pick Your Glass

Glass Options



White Laminated



Clear Tempered



Narrow Reed 1/8'

Custom order French door options available. For additional selection, see the Interior Doors section at madero.ca.

ONE LITE

Handcrafted wood or primed engineered wood stile and rail designs can be mixed and matched with contemporary glass textures, creating endless combinations to complement your interior style. Consider using the space efficiency of pocket doors for smaller rooms, and bypass or double doors for closet access.



Wood Veneer or Primed Engineered Wood Rim

Door Primed engineered wood or hardwood veneer

(wood species on page 20)

Profile Ovolo Sticking (A) or Shaker Sticking (K) (refer to page 25);

custom (upcharge)

Glass Refer to pages 29-31

Thickness 1-3/8" or 1-3/4"


Height 80" (6/8), 84" (7/0), and 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Warranty 1 year limited

PANEL LITE

Finding the right style to reflect your tastes is very important. These modern designs are a refreshing update to traditional French doors, highlighting the beauty of your contemporary decor. Their simple elegance allows natural light to cascade from room to room, filling your home with a magic all of its own.



Wood Veneer or Primed Engineered Wood Rim

Door Primed engineered wood or hardwood veneer

(wood species on page 20)

Profile Ovolo Sticking (A) or Shaker Sticking (K) (refer to page 25);

custom (upcharge)

Glass Refer to pages 29-31

Thickness 1-3/8" or 1-3/4"

Height 80" (6/8), 84" (7/0), and 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Warranty 1 year limited

PRIMED ENGINEERED WOOD

Primed engineered wood doors combine the best of authentic stile and rail craftsmanship with engineered wood technology for more stability than solid wood. Ideal for painted applications, these 18 popular panel designs will give your home a true mark of distinction.



Primed Engineered Wood 3-Panel Mission

Engineered Wood Slab

Profile Panel (A) or Shaker Panel (K); custom (upcharge)

Thickness 1-3/8" or 1-3/4"

Height 80" (6/8), 84" (7/0), and 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Warranty 1 year limited



3 Panel Equal 281A / 281K



4 Panel Equal 272A / 272K



5 Panel Equal 72K 282A / 282K



1 Panel Square 271A / 271K



2 Panel Square 092A / 092K



3 Panel Square 116A / 116K



4 Panel Square 095A / 095K



5 Panel Square 103A / 103K



6 Panel Square 105A / 105K



3 Panel Mission 303A / 303K



2 Panel Arch Top



3 Panel Arch Top



4 Panel Arch Top 097A



5 Panel Arch Top



2 Panel Camber Top 265A / 265K



3 Panel Camber Top 287A / 287K



4 Panel Camber Top



5 Panel Camber Top 326A / 326K

WOOD PANEL

Handcrafted wood doors transcend the ordinary, commanding attention with timeless beauty at an affordable price. Natural hardwood with wood composite core construction provides excellent thermal efficiency in all seasons. Distinctive raised panels (profile A) or modern shaker panels (profile K) bring refinement to any decor.



Wood Veneer Slab

Door Natural wood veneer overlay on wood composite core construction

Profile Raised Panel (A) or Shaker Panel (K); custom (upcharge)

Thickness 1-3/8" or 1-3/4"

Height 80" (6/8), 84" (7/0), and 96" (8/0)

(Subject to availability)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Warranty 1 year limited

Standard Wood Species



African Mahogany



Birch



Cherry



Douglas Fir



Hemlock



Hickory



Knotty Pine



Knotty Alder KALDER



White Poplar



Red Oak



Select Alder



Walnut



Hard Maple




Clear Pine



White Oak


Standard Panel/Sticking Profiles




Raised Panel Single Hip (A) Single Ovolo sticking



True Shaker Panel (K)
Shaker sticking





HINGE OPTIONS

Madero Door Hinges

3-1/2" ball bearing hinges are typically used for standard 1-3/8" Madero jamb kits.





Finishes:

Door hinges look best when matched to your chosen locksets. Choose from our finish options to achieve a custom look.



C-2G Zinc



C-4 Brushed

C-10B Oil Rubbed



C-15 Satin



C-15A/ C-17A Antique Nickel



C-26D Brushed



Stainless





Matte




WOOD FRAME OPTIONS

Madero Jamb Packs

Choose from primed MDF or matching wood veneer, ready to paint or stain. Madero's jamb packs ship complete with flat jamb or rabbeted jamb, door stop (flat jamb only), machined jamb, and three 3-1/2" ball bearing hinges on handed jamb packs. Reversible jamb packs include plain bearing reversible hinges.

- Bullnose or Colonial stop available
- Jamb packs are available left or right handed, or reversible





BARN DOORS

Built to last, Renin provides an extensive collection of Barn Door kits that are ideal for any room or opening in your home or office. The kits are complete with everything you need to create and hang a barn door - a pre-finished door slab, matte black bent strap hardware and matching handle.

COMPLETE BARN DOOR KITS



Stone K Silver Oak Barn Door Kit STONE3/0 SO BKBS

Complete Barn Door Kits

Door Pre-finished solid engineered wood sliding barn door featuring a

durable, scratch resistant smooth finish that requires no further painting or staining. Ready-to-hang with pre-drilled mounting holes

and hidding bottom groove for floor guide,

Thickness 1-3/8" Height 84" (7/0) Width 36" (3/0)

Hardware Hardened steel, bent strap hardware and matching handle in a rustic

Matte Black finish. Optional adjustable wall mounted floor barn door

guide to install directly onto the wall or baseboard.



Sierra Natural Pine Barn Door Kit SIER 3/0 UP BKBS



Boca 1 Panel White Barn Door Kit BOCA3/0 PW BKBS



Barn Door Kit STONE3/O PW BKBS



Hall 3 Lite Frosted Iron Age Barn Door Kit HALL3/0 IA BKBS



Pavilion 5 Lite Frosted White Barn Door Kit PAV3/0 BW BKBS

Matte Black Bent Strap Hardware





Includes Flat Handle



COMPLETE BARN DOOR KITS



Pavilion 5 Lite in Bright White



Sagrada Double X in Gunstock Oak



Stone K in Ashen White STONE3/0 AW BKBSSC



Hall 3 Lite in Bright White HALL3/0 BW BKBS



Hall 3 Lite in Espresso HALL3/0 ESP BKBS



Ashen White GLIM3/0 AW BKBSSC



Ashen Grey
GLIM3/0 AG BKBSSC



Dunmore in Iron Age



Tribeca 6 Lite in Matte Black TRIB3/0 6LITE BLK BK



Tribeca 8 Lite in Matte Black TRIB3/0 8LITE BLK BK



Dunmore in

Bright White

DUN3/0 BW BKBS

Cheval Z in Iron Age



Stone K In Gunstock Oak



Stone K in Iron Age STONE3/0 IA BKBS



Stone K in Sandstone STONE3/0 SS BKBS



Stone K in Ashen Grey STONE3/0 AG BKBS



Herringbone in Ashen White HERRING3/0 AW BKBS



Herringbone in Ashen Grey HERRING3/0 AG BKBSSC

MIX & MATCH BARN DOORS

The Mix & Match Barn Door Kits includes everything you need to create and hang a barn door. Customize by choosing your door slab and the colour of bent strap hardware with a matching handle. Optional Easy Latch Privacy Hardware and Easy Clip Soft Close Hardware can be included for greater versatility.

Choose Your Door



Stone K in Silver Oak



Stone K in Bright White



Stone K in Driftwood



Sherwood Arrow in Matte Black



Lace 4 Lite in Bright White



Augusta 1 Lite in Bright White



Pavilion 5 Lite in Bright White



Crochet 4 Lite X in Graphite Grey



Sierra K in Unfinished Pine



Louver in Painted White



Unfinished Pine



Boca 1 Panel in Primed White



Hall 3 Lite in Iron Age



Gatsby in Painted Grey

Choose Your Hardware

Includes flat handle (not shown)



Bent Strap - Burnished Bronze





Bent Strap - Matte Black



Bent Strap - Satin Nickel

Choose Your Accessories



Easy Clip Soft Close







EASY BUILD KNOCK DOWN COMPLETE BARN DOOR KIT

The Easy-Build Barn Door Kit has everything you need to transform a space, including a pre-finished engineered wood door panels with pre-drilled mounting holes, a sleek matte black steel track, matching hanging straps and handle along with all the installation hardware. Includes handle.





Langley Slab in Graphite Grey LANG3/0 GG BKBS EB



Barn Door Slab in Bright White BARN3/0 BW BKBS EB



Barn Door Slab in Iron Age BARN3/0 IA BKBS EB



Stone K Slab in Bright White Finish STONE3/0 BW BKBS EB



Salinas Z Slab in Unfinished Pine SAL3/0 UP BKBS EB



Pavilion 5 Lite Slab in Bright White PAV3/0 BW BKBS EB

SYNCHRONIZED BIPARTING DOOR KITS

This innovative cable-driven synchronizing technology enables the simultaneous opening and closing of bi-parting doors with just one hand. By pulling on one handle, both doors glide open or closed in unison. Add functionality and versatility with this easy-to-install hardware offering.









Chevron in Ashen White CHEV3/6 AW BI SYC NH

Chevron in Ashen Grey CHEV3/6 AG BI SYC NH

1 Lite Frosted Glass in Bright White 1LTE3/6 BW BI SYC NH

SINGLE TRACK BYPASS BARN DOOR KIT

Enhance the functionality of your barn door by adding biparting hardware designed to join two barn doors tracks for a wider opening application.





Single Track Bypass Barn Door Kit Comes with 2 Bright White Provincial 8 Lite Barn Door Slabs with Tempered Glass Available in 5/0, 6/0 & 7/0

PROV5/0 BW NH ST PROV6/0 BW NH ST PROV7/0 BW NH ST

INVISIGLIDE™ HARDWARE

InvisiGlide™ with Soft Close technology quietly and effortlessly moves across the wall with micro-adjust discs which move in and out; and up and down to ensure doors run smoothly when walls are uneven. This barn door hardware kit not only disappears behind your door, but does so quietly and smoothly with soft close technology. Available in 36" and 42" complete kits.



Driftwood K in Barnwood with Matte Black HardwareMatte Black Hardware: DRIFT3/0 BW BK IG




Matte Black Finish (BK)



Satin Nickel Finish (SN)



Glim 4-Lite in Ashen White with Satin Nickel Hardware Satin Nickel Hardware: GLIM3/O AW SN IG



Sherwood Arrow in Chocolate Ash with Matte Black Hardware Matte Black Hardware: SHER3/0 CA BK IG

ACROSS THE WALL

Technologically advanced smooth open and closs across the wall hardware featuring smooth and quiet glide nylon wheels with sealed bearings top hanger troller system, fully adjustable track design that maximizes wall clearance and over sized metal catches for improved door installation and long lasting durability.

Sizes Available

Height 84" (7/0), 100" (8/4)

Width 36" (3/0), 42" (3/6), 48" (4/0),

60" (5/0), 72" (6/0)

Frame Finishes





Aluminum Black (BK)

Aluminum Satin (SA)



Unfinished or Painted White Pine Louver Barn Door Slab with Across the Wall Kit Unfinished: LOUV3/0 UP ATW

White (PW)



Flat Frame Mirror in Extruded Aluminum Black or Satin Finish Black (Shown): 1-LITE MIR 36 ATW BK



Flat Frame Semi-Opaque Glass in Extruded Aluminum Satin or Black Finish Satin (Shown): 1-LITE OPQ 36 ATW SA



Flat Frame Clear Glass in Extruded Aluminum Black or Satin Finish Black (Shown): 1-LITE CLR 36 ATW BK



Flat Frame Painted White Glass in Extruded Aluminum Satin or Black Finish Satin (Shown): 1-LITE PWG 36 ATW SA



Flat Frame Black Glass in Extruded Aluminum Black or Satin Finish Black (Shown): I-LITE PBG 36 ATW BK



BIFOLD DOORS

Sleek and unobtrusive, our sliding bifold door systems are available with two or four panels that fold up to maximize your opening.

STANDARD BIFOLDS

Sizes Available

Height 80" (6/8), 96" (8/0)*

*96" height available in mirror styles only

Width Single: 24" (2/0), 30" (2/6), 36" (3/0)

Double: 48" (4/0), 60" (5/0), 72" (6/0)

Frame Finishes





Bright White (BW)

Arctic Silver (AS)



Steel Flat Framed Parsons Flush Panel with Bright White Frame PARSON 24 BW FL BI



Steel Flat Framed Georgian 6 Panel with Bright White Frame GEO 24 BW 6PNL BI



Steel Flat Framed Ashbury 2 Panel Square with Bright White Frame

ASH 24 BW 2PNL BI




Steel Flat Framed Clear Mirror with Bright White Frame MIR 24 BW 2PNL BI



Steel Frameless Bevel Edge Mirror with Bright White Frame FL BV MIR 24 BW BI



Steel Frameless Polished Edge Mirror with Arctic Silver Frame FL PE MIR 24 AS BI



BYPASS DOORS

Sliding Bypass Doors are the perfect closet doors for any room. Smoothly rolling from side to side, they give you full access to all of the space in your closet

STANDARD BYPASS

TOP ROLL BYPASS

Sizes Available

Height

80" (6/8), 96" (8/0)

Width

Two Panel:

48" (4/0), 60" (5/0), 72" (6/0), 84" (7/0),

96" (8/0)

Three Panel:

108" (9/0), 120" (10/0),

144" (12/0)

Four Panel:

192" (16/0)

Frame Finishes







Bright White (BW)

Arctic Silver (AS)

Satin Gold (SG)



Steel Top Rolled Framed Flat Whitewood Panel with Bright White Frame SLIM WW 48 TR BW



Steel Top Rolled Framed 6 Panel with Bright White Frame SLIM 6PNL 48 TR BW



Steel Top Rolled Framed 2 Panel Square with Bright White Frame



Steel Top Rolled Framed Arch Top Panel with Bright White Frame
SLIM 2ARC 48 TR BW



Steel Top Rolled Framed Mirror with Arctic Silver Frame SLIM MIR 36 TR AS

BOTTOM ROLL BYPASS

Sizes Available

Height 80" (6/8), 96" (8/0) Width Two Panel:

48" (4/0), 60" (5/0), 72" (6/0), 84" (7/0), 96" (8/0)

Three Panel:

108" (9/0), 120" (10/0), 144" (12/0)

Four Panel: 192" (16/0)

*Three and Four Panel not available in wide curved stile

Frame Finishes







Bright White (BW)

Arctic Silver (AS) Satin Gold (SG)

(SN)

Satin Satin Nickel Chrome

Bright Chrome (BC)

STEEL NARROW STILE

Arctic Bright Satin Silver White Gold

Steel Bottom Rolled Framed Mirror with Arctic Silver Frame SLIM MIR 48 BR AS

STEEL WIDE CURVED STILE



Steel Bottom Rolled Framed Mirror with Arctic Silver Frame CURV MIR 48 BR AS

STEEL FRAMELESS




Steel Bottom Rolled Frameless Beveled Mirror with Satin Gold Frame FL BV MIR 48 SG

STEEL FRAMELESS



Steel Bottom Rolled Frameless Polished Edge Mirror with Bright White Frame FL PE MIR 48 BW

ALUMINUM NARROW STILE



Aluminum Bottom Rolled Framed Mirror with Bright White Frame

EXTRUDED ALUMINUM FLAT FRAME

Sliding Bypass Doors are the perfect closet doors for any room. Smoothly rolling from side to side, they give you full access to all of the space in your closet



Sizes Available

Height 80" (6/8)
Width Two Panel:

48" (4/0), 60" (5/0), 72" (6/0),

84" (7/0), 96" (8/0)

Three Panel: 108" (9/0)

Frame Finishes





Aluminum Black (BK)

Aluminum Satin (STN)

Clear Mirror in Flat Frame Aluminum Black



Semi-Opaque Glass in Flat Frame Aluminum Satin F FRM SEMI OP 48 STN



Painted White Glass in Flat Frame Aluminum Black F FRM WHT 48 BK



Painted Black Glass in Flat Frame Aluminum Satin F FRM BLK 48 STN

EXTRUDED ALUMINUM CURVED FRAME

Sliding Bypass Doors are the perfect closet doors for any room. Smoothly rolling from side to side, they give you full access to all of the space in your closet



Sizes Available

Height 80" (6/8), 96" (8/0)

Width Two Panel:

48" (4/0), 60" (5/0), 72" (6/0),

84" (7/0), 96" (8/0)

Three Panel:

108" (9/0), 120" (10/0),

144" (12/0)

Four Panel:

192" (16/0)

Frame Finishes



Aluminum

Clear Mirror in Curved Frame Aluminum Satin C FR MIR 48 STN



Painted White Glass in Curved Frame Aluminum Satin C FR WHT 48 STN



Painted Black Glass in Curved Frame Aluminum Satin C FR BLK 48 STN



Semi-Opaque Glass in Curved Frame Aluminum Satin C FR SEMI OP 48 STN



DECORATIVE DOORS

It's easy to add sophistication to your closet with decorative wrapped engineered wood closet doors.

URBAN DESIGN BIFOLDS

Decorative wrapped engineered wood bifold closet doors that fold into each other provide access to your closet with minimal floor clearance and taking minimal space within your room. Available in a variety of finishes and glass options to suit your style.

Sizes Available

Height 80" (6/8)

Width 24" (2/0), 30" (2/6), 36" (3/0)

Frame Finishes







Off Iron Age Espresso White ((OW) (IA) (ESP)



Euro Flat Frame 1 Lite with Frosted Glass in Off-White *Includes handle EURO 1-LT FG 24B OW



Euro Flat Frame 1 Lite with Frosted Glass in Espresso *Includes handle EURO 1-LT FG 24B ESP



Euro Flat Frame 1 Lite with Frosted Glass in Iron Age *Includes handle EURO 1-LT FG 24B IA



Euro Flat Frame 3 Lite with Frosted Glass in Iron Age
*Includes handle.
EURO 3-LT FG 24B IA



Euro Flat Frame 3 Lite with Frosted Glass in Off-White *Includes handle.
EURO 3-LT FG 24B OW



Euro Flat Frame 3 Lite with Frosted Glass in Espresso *Includes handle.
EURO 3-LT FG 24B ESP

URBAN DESIGN BYPASS

The sleek look of decorative wrapped engineered sliding bypass closet doors conceals clothing and keeps storage out of sight. With a multitude of options you can select an insert option that combines wood, mirror, glass and a matching fascia to make your design more dynamic.

Sizes Available

80" (6/8) Height

Width 48" (4/0), 60" (5/0), 72" (6/0)

Frame Finishes









Pure White (PW) Iron Age (IA)

(ESP)



Euro Flat Frame 1 Lite with Frosted Glass EURO 1-LT FG 48 ESP

in Espresso Wood Grain



Euro Flat Frame 3 Lite with Frosted Glass in Off-White

EURO 3-LT FG 48 OW



Euro Flat Frame 5 Lite with Frosted Glass in Iron Age EURO 5-LT FG 48 IA



Lace 4-Lite X Design with Clear Mirror in Pure White

LACE 4-LTX FG 48 PW



Trident Flat Frame K Design in Silver Oak TRIDENT K 48 SO



Harmony Flat Frame with Clear Mirror in Pure White Woodgrain HARM 1-LTX MIR 48 PW

Twilight Flat Frame with Frosted Glass in Pure White Woodgrain

TWI 1-LTX FG 48 PW

URBAN DESIGN PIVOT

Decorative wrapped engineered wood pivot doors swing open making them the perfect solution by providing maximum access to your storage space. Select from modern, engineered wood doors featuring frosted glass that are prefinished on both sides and easy-to-maintain.

Sizes Available

Height 80" (6/8)

Width 48" (4/0), 60" (5/0), 72" (6/0)

Frame Finishes





Pure White (PW)

e Graphite PW) Grey (GG)



Crochet Flat Frame X Lite with Frosted Glass in Graphite Grey Wood Grain *Includes handle
CROC 4-LT 8X 48 GG

Pure White

Provincial Flat Frame 8 Lite with Frosted Glass in Pure White Wood Grain * $Includes\ handle$

PROV 8-LT FG 48 PW

Sizes Available

Height 80" (6/8)

Width 24" (2/0), 30" (2/6), 36" (3/0)

Frame Finishes





Pure Ir White (PW)

Iron Age (IA)



Euro Flat Frame 1 Lite with Frosted Glass in Pure White Wood Grain *Includes handle $\,$

EURO 1-LT FG 24 PW



Euro Flat Frame 3 Lite with Frosted Glass in Iron Age Wood Grain *Includes handle

EURO 3-LT FG 24 IA

CHECKLIST FOR CUSTOM INTERIOR DOOR MACHINING

Many details come together to create the perfect interior door package. Follow this important checklist to ensure your order is complete and the end result is exactly as you imagined.

Choose Your Door	☐ MOULDED PANEL PRO☐ FLUSH PROFILE	FILE		STILE & RAIL PROF									
	Choose door size: Width: 1/6 (18")	□ 2/0 (24") □ 2/4 (2 se specify)	8") 🗆 2/6 (30		□ 2/10(34") □ 3	3/0 (36")							
	Height: □ 6/8 (80") □ 7/0 (84") □ 8/0 (96") □ Other (please specify)												
	Thickness: 1-3/8" 1-3/4" Core: Hollow Solid												
Choose Your Jamb	☐ MDF ☐ FJP ☐ Maple ☐ Oak ☐ Double Rab FJP* ☐ Other (please specify)												
	Stop: Bullnose (3422) Colonial (936)												
	* Double Rab FJP jamb only available in 4-9/16"												
Choose Your Machining Options	Backset: □ 2-3/8" □ 2-3/4" Drilling: □ 40" □ 44" □ Other (please specify) □ Hinge Quantity: □ 2 □ 3 □ 4 Hinge Radius: □ 1/4" □ 5/8" □ 5/8" SQ/REV Hinge Finish:												
								C-ID C-IOB Matte Black Bronze	C-IIP C-I5 Antique Satin Bronze Nickel	C-15A Antique Nickel	Zinc Bi	-26 C-26D Satin rome Chrome	Satin
							Choose Your Configuration	Single doors:	Double doors:		Double Door Optio	ns:	
Left Hand Inswing Door Inswing Door Inswing Door		Right Hand Inswing Door	Flushbolts:										
	į	Dummy Active											
Left Hand Right Hand Outswing Door Outswing Door Outswing Door Outswing Door Outswing Door No													
Multiple Doors	Qty Size	Handing	Qty	Size	Handing								
(House Package)													
Cust	omer Signature:			Date: _									



Looking for a high quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



Artisan Doors



Garden Patio Doors



Entry Doors



Multi-Family



Larson Product Catalogue



Commercial

Contact us at: madero.ca | canada.orders@madero.ca | 1.800.667.6977



