

BLACK & WHITE DESIGNER ENTRY SERIES 2018





THIS PAGE: Black Basic Victoria Shaker Door* with Bistro Glass and Schlage Century Handleset in Satin Nickel[†]. Also available with Clear Glass.

> COVER: Black Dakota 4 Lite Door* with Frosted Glass and Schlage Plymouth Handleset in Satin Chrome⁺. Also available with Clear Glass.



THE BLACK & WHITE DESIGNER ENTRY SERIES

Black exterior, white interior. Madero's new Black & White Designer Entry Series features a steel door with factory painted black exterior and white interior, paired with a black aluminum clad frame and slimline aluminum brickmould.



Clear or Frosted Glass

Victoria Shaker with Bistro or Clear Glass

Clear or Frosted Glass

* Madero Black & White Designer Entry doors are supplied with a factory black exterior and white interior. ⁺Door handles and deadbolt hardware not included.



Black Dakota Victoria Shaker Door* with Clear Glass and Schlage Plymouth Handleset in Satin Nickel[†]. Also available with Bistro Glass.





Black Basic 4 Lite Door* with Clear Glass and Schlage Century Handleset in Satin Nickel⁺. Also available with Frosted Glass.



Black Basic Narrow Lite Door* with Frosted Glass, Schlage Latitude Lever and Deadbolt in Satin Nickel[†]. Also available with Clear Glass.



What to Know Before You Order

Black & White Designer Entry Series doors are available in 2/8 or 3/0 widths, 6/8 height and 2x4 (4-9/16") or 2x6 (6-9/16") construction. All Black & White Designer Entry Series doors include single or double drilling to accommodate levers, knobs, handlesets and deadbolt hardware.

Black & White Designer Entry Series doors are available in high definition steel only but can be designed with a wood or composite frame.

PRODUCT COMPARISONS

		STEEL SLAB	WOOD FRAME	COMPOSITE FRAME
Black & White Designer Entry Series door systems are	BASIC	•	•	
available in steel with two frame choices.	DAKOTA	•		•

SPECIFICATIONS

SIZES	Widths: 2/8 and 3/0; Height: 6/8
DOOR	24 gauge high-definition steel with factory painted black exterior and white interior; primed wood stiles and top rail; polyurethane core with 16" wood lock block
FRAME	Available in 4-9/16" and 6-9/16" jamb depth. Choose from: WOOD: Black aluminum clad wood (exterior only) COMPOSITE: Black aluminum clad composite (exterior only) Black slimline aluminum brickmould included
DRILLING	Single or double drill available
WARRANTY	 DOOR: 10 year limited manufacturer's warranty on steel door slab, no painting required FRAME: 5 year limited manufacturer's warranty on frame and components Wood frames require paint within 45 days of purchase (interior only) Paint is not required for exterior black aluminum cladding

⁺ Door handles and deadbolt hardware not included.

PRODUCT MEASUREMENTS

All Black & White Designer Entry Series doors are available in $2^{"}x4^{"}$ (4-9/16") or $2^{"}x6^{"}$ (6-9/16") construction, left hand or right hand application, inswing only[‡].

DESIGNER ENTRY SERIES SINGLE DOOR	Net Frame Width
2/8	33 1/2"
3/0	37 1/2"

FINISHED FRAME HEIGHTS

6/8 - 81 5/8"

ROUGH OPENING MEASUREMENTS (RO)

To calculate rough opening, add 1" to width and add 1/2" to height of net frame.

OUTSIDE MEASUREMENTS OF BRICKMOULD (OSM)

To calculate OSM of slimline aluminum brickmould, add 1/4" to width and 1/8" to height of net frame.

[†]Black & White Designer Entry door systems are available as inswing **only**.

Checklist for Black & White Designer Entry Door Systems

Many details come together to create the perfect Black & White Designer Entry Series door system. Follow this important checklist to ensure your order is complete and the end result is exactly as you imagined.

866	Calgary .664.7664 • F 1.403.204.7665	Saskatoon T 1.800.667.6977 • F 1.306	······································
broch	ure is subject to change, as well as error	s and omissions, without notice or liability. I	accurate, we do not accept liability for any inaccuracies. This Doors are provided unfinished/unstained and without hardware nd frames may not represent Madero products.
Store	e Name or #:	Tag:	PO #:
Cust	omer Signature:		Date:
MACHINING	6. Choose desired hardware dr	lling prep: (Double Drill)	
	Inswing	Inswing	
CONFIGURATION	5. Choose your door system co		<u>ə):</u>
DRICNINGULD	4A. Choose jamb depth: ☐ 4-9/16" ☐ 6-9/16"	4B. Default brickmould: Black slimli ☐ Attached brickmould	ine aluminum brickmould
SIZE	 3. Choose door size: Width: 2/8 (32")]3/0 (36") Height: 🗌]6/8 (80")
STYLE	 2. Choose door design: Narrow Lite Clear Narrow Lite Frosted 	Victoria Shaker ClearVictoria Shaker Bistro	4 Lite Clear4 Lite Frosted
	Wood Frame Composite		
	High Definition Steel Slab	OTA ition Steel Slab	
PRODUCT	BASIC DAK	M	
ប	 Choose door/frame pairing: 		