

# INTERIOR DOORS 2018



# INTERIOR DOOR COLLECTIONS


Madero's interior door collections feature the latest designs and timeless classics, providing a range of style, material, and budget options to suit your specific needs. From renovations to new home construction, these doors will provide exceptional value and style for your home.

Interior doors are readily available in 6'8", 7'0", 8'0", or custom door slab heights, and standard widths. Hardware, frame and mounting options are available to ensure that your interior doors will complement the decor in every room.

#### Contents

Moulded Panel	
Ехро	
Heritage® Series	
West End Collection®	10-11
Classics <sup>™</sup>	12-13
Select <sup>™</sup>	
Stile & Rail	
Primed Engineered Wood	18–19
Wood Panel	20-25
Louver Doors	26-27
French Doors	
Glass Options	
One Lite	32-33
Panel Lite	
Wood Mullion	
Specialty Doors	38-39
Flush Panel	
Luxury Residential	
Sliding Panel Doors	
Barn Track Hardware	
Hinge Options	
Wood Frame Options	
Fire Rated Frame Options	





### MADERO. DOORS FOR LIFE.

Modern, contemporary, colonial, or eclectic, Madero has a deep respect for the subtleties of timeless design, but it doesn't end there. Partnering with innovative manufacturers and offering industry-leading warranties, Madero's selection of doors stand the test of time.

Take a look, and see what you find. For more, visit us online at www.madero.ca.



# MOULDED PANEL

Madero is proud to partner with Masonite<sup>®</sup> to provide moulded panel doors that have been transforming interiors for over 80 years. Together we are relentlessly committed to delivering product, service and design innovations which will enhance the beauty and functionality of your home.

#### Quality Is Our Standard

Moulded panel doors from Masonite are more durable and resist warping, shrinking and cracking. These beautifully engineered doors are available in a smooth or textured woodgrain finish, with matching bifolds to suit any decor. They come in a wide range of widths and heights and are primed for easy finishing. By-product wood chips and timber from sustainably managed forests are used at Masonite facilities, with a commitment to environmental excellence in every step of the door manufacturing process.

### MASONITE



Painted Riverside 6-Panel Equal (8/0) Door with Schlage Accent Lever in Satin Nickel

#### Hollow Core

- ready to paint.


### Safe 'N Sound<sup>®</sup> Emerald<sup>™</sup> Solid Core

- ready to paint.



· Perfect solution for budget-minded customers. • 1-3/8" or 1-3/4" thickness available; primed white and ready to paint.

 Contains pre-consumer recycled content, resource efficient materials and a honeycomb core.



hollow core

#### Safe 'N Sound<sup>®</sup> Solid Core

• For reduced sound transmission; ideal for bathrooms and bedrooms where privacy and safety are a concern. • 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.

• 20 minute fire rating available in 1-3/4" thickness only. Offers heft and feel of solid wood; primed white and

• Manufactured with DorCor<sup>™</sup>, a low density fiberboard made from wheat straw (annually renewable, agricultural, wheat by-product).

• Ideal product for allergen-sensitive customers requiring optimal air quality.

• 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.

• 20 minute fire rating available in 1-3/4" thickness only. · Offers heft and feel of solid wood; primed white and

 Forest Stewardship Council (FSC) certified wood, containing environmentally preferred products: low emissions adhesives and sealants, extremely low VOC emissions, and no added urea-formaldehyde (NAUF).










#### Painted Lincoln Park I-Panel Equal Door

### HERITAGE SERIES DESIGNS



Masonite's Heritage® Series features stile and rail inspired designs with clean, simple lines that will provide a distinctive look for any interior decor. For increased privacy and sound reduction, choose the solid core option.





Shaker Style Detail

INTERIOR DOOR

INTERIOR DOOR Μ COLLECTIONS

M

#### Moulded Shaker Panel Slab

- Paintable moulded panel; smooth primed surface Hollow core 1-3/8" or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
- Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only
  - 80" (6/8), 84" (7/0), 96" (8/0)
  - 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
  - 24" (2/0), 30" (2/6), 36" (3/0)
- **Fire Rated** 20 minute (1-3/4" only)
  - Safe 'N Sound<sup>®</sup> Emerald<sup>™</sup> solid core (1-3/8" only)
- Warranty 1 year limited





Winslow WINS 3-Panel: 1 Square Panel with 2 Vertical Panels (Not available in 96" height)



**Logan** LOGAN 2-Panel



## WEST END COLLECTION




### M MASONITE **EXPO**<sub>TM</sub>

#### Moulded Grooved Panel Slab

Door	Paintable moulded panel; smooth primed surface
Core	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	<b>24</b> " (2/0), <b>30</b> " (2/6), <b>36</b> " (3/0)
Fire Rated	20 minute (1-3/4" only)
Optional	Safe 'N Sound® Emerald™ solid core
Warranty	1 year limited

Berkley 6-Panel Equal with I Vertical Panel

Masonite's West End<sup>™</sup> Collection features metropolitan inspired designs with bold, graphic lines for eye-catching profiles. These clean, simple styles will complement any contemporary interior decor. For increased privacy and sound reduction, choose the solid core option. West End doors are very affordable, giving you the most value for a modern look.



HAM

COLLECTIONS

6-Panel Equal with 2 Vertical Panels

(Not available in 18"

width or 96" height)

Berkley BER 6-Panel Equal with 1 Vertical Panel (96" height subject to availability by Masonite)



MEL



6-Panel Equal (Not recommended for double doors) (96" height subject to availability by Masonite)





### CLASSICS MOULDED PANEL



# MASONITE CLASSICSTM

#### Moulded Raised Panel Slab

Door	Paintable moulded panel; textured woodgrain or smooth primed surface
Core	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	<b>24</b> " (2/0), <b>30</b> " (2/6), <b>36</b> " (3/0)
Fire Rated	20, 45, 60 minute on select designs and sizes
Optional	Safe 'N Sound® Emerald <sup>™</sup> solid core
Warranty	1 year limited

Roman (shown in smooth)

The Masonite Classics<sup>™</sup> Moulded Panel Series is the industry benchmark for all moulded wood doors and features five popular door designs.



6/8, 7/0, 8/0 (96" height not available in bifold)

Smooth: 6/8, 7/0, 8/0








Painted Saddlebrook I-Panel V-Groove Plank

# SELECT MOULDED PANEL



Riverside 6-Panel Equal (8/0)

The SELECT™ Collection is a special edition of the Moulded Panel Series, honouring more than 80 years of Masonite's heritage of innovation. These classic designs with a smooth, primed surface offer the ultimate in wood door authenticity.





Cheyenne CHEY 2-Panel Camber Top Plank; 80" or 96" height only

COLLECTIONS



**SELECT**<sub>TM</sub>

M

#### Moulded Classic Panel Slab

Paintable moulded panel; smooth primed surface Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only 80" (6/8), 84" (7/0), 96" (8/0) 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0) 24" (2/0), 30" (2/6), 36" (3/0) **Fire Rated** 20 minute (1-3/4" only) Safe 'N Sound<sup>®</sup> Emerald<sup>™</sup> solid core Warranty 1 year limited



Riverside RIV 5-Panel Equal (80", 84"); 6-Panel Equal (96")




Saddlebrook 1-Panel V-Groove Plank; 80" or 96" height only



### STILE & RAIL

Madero offers a complete line of interior stile and rail wood doors to meet any architectural or design requirement. The wood panel designs include traditional and contemporary styles, from a variety of sustainably harvested wood species. Add warmth and richness to any room with the look and feel of natural solid hardwood veneer – constructed to withstand the daily rigors of family life.




Woodport Doors is a seasoned, quality supplier of authentic wood doors, located near the rustic forest region of Wisconsin's North Woods. This area has a long history of the woodworking trade, and they are proud to continue the craft. Skilled men and women build stile and rail wood doors as beautiful as they are strong. Make your dream door a reality from a wide product selection – we're confident you'll find the perfect style for your home.




#### Standard Panel/Sticking Profiles





Raised Panel Single Hip (A) Single Ovolo sticking





True Shaker Panel (K) Shaker sticking



# PRIMED ENGINEERED WOOD



Primed engineered wood doors combine the best of authentic stile and rail craftsmanship with engineered wood technology for more stability than solid wood. Ideal for painted applications, these 18 popular panel designs will give your home a true mark of distinction.

### Engineered Wood Slab

Door	Primed en
Profile	Raised Par custom (u
Thickness	1-3/8" or 1-
Height	80" (6/8), 8
Passage	18" (1/6), 24
Bifold	24" (2/0), 3
Warranty	1 year limi

Primed Engineered Wood **3-Panel Mission** 









097A

118A

ngineered wood with smooth paintable surface anel (A) or Shaker Panel (K) (refer to page 17); upcharge) I-3/4"; bifold 1-3/8" only 84" (7/0), and 96" (8/0) 4" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0) 30" (2/6), 36" (3/0)

#### ited









5 Panel Arch Top 104A



Square 116A / 116K



2 Panel Camber Top 265A / 265K



4 Panel Square 095A / 095K



3 Panel Camber Top 287A / 287K



5 Panel

Square

4 Panel Camber Top 266A / 266K



6 Panel Square 105A / 105K



5 Panel Camber Top 326A / 326K



COLLECTIONS

### WOOD PANEL



Handcrafted wood doors transcend the ordinary, commanding attention with timeless beauty at an affordable price. Natural hardwood with wood composite core construction provides excellent thermal efficiency in all seasons. Distinctive raised panels (profile A) or modern shaker panels (profile K) bring refinement to any decor.

#### Wood Veneer Slab

Door	Natural wood veneer overlay on wood composite core construction
Profile	Raised Panel (A) or Shaker Panel (K) (refer to page 17); custom (upcharge)
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), and 96" (8/0) (Subject to availability)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	<b>24</b> " (2/0), <b>30</b> " (2/6), <b>36</b> " (3/0)
Optional	Solid wood (finger-joint) core
Warranty	1 year limited

Hemlock 4-Panel Equal Shaker

#### Standard Wood Species



African Mahogany





White Poplar

Hemlock HEM



Birch BIRCH



Red Oak



Select Alder

Knotty Pine

Cherry CHERRY



Walnut WAL

Douglas Fir



0



Hard Maple







White Oak WOAK



20







**3 Panel Equal** 281A / 281K Shown in Knotty Alder



271A / 271K Shown in White Poplar



095A / 095K Shown in Knotty Pine

#### Wood Panel Designs







4 Panel Equal 272A / 272K Shown in Hickory



2 Panel Square 092A / 092K Shown in Maple



**5 Panel Square** 103A / 103K Shown in African Mahogany



5 Panel Equal 282A / 282K Shown in Maple



**3 Panel Square** 116A / 116K Shown in Red Oak



6 Panel Square 105A / 105K Shown in Pine







3 Panel Mission 303A / 303K Shown in Cherry



4 Panel Arch Top 097A Shown in Clear Pine



3 Panel Camber Top 287A / 287K Shown in Mahogany

#### Wood Panel Designs







5 Panel Arch Top 104A Shown in Hickory



4 Panel Camber Top 266A / 266K Shown in Fir



3 Panel Arch Top 118A Shown in White Poplar



2 Panel Camber Top 265A / 265K Shown in Walnut



5 Panel Camber Top 326A / 326K Shown in Hemlock



### LOUVER DOORS



Louver doors are perfect for pantries, closets and laundry rooms, - concealing the area while allowing for airflow and freshness in challenging environments. They are also useful for fitting rooms and maintenance rooms. These classic, sturdy doors provide both privacy and ventilation.

#### Wood Veneer or Primed Engineered Wood Slab

0)
/

Panel Over Louver also Available

#### Louver Over Panel



Plantation 2-1/4" Wood Species LOUV/PNL (Also available in primed)



Primed LOUV/PNL (Also available in wood species)


#### Louver Over Louver



Plantation 2-1/4" Wood Species LOUV/LOUV (Also available in primed)



(Also available in wood species)





Μ

### FRENCH DOORS

French doors are a smart choice for adding privacy to a study or home office, without robbing it of valuable lighting. In addition to keeping light flowing into the room, they provide a secure view into your home. The need to hold private conversations or finish work at home may isolate you from your family. By using French doors, you won't be secluded behind a solid wood door, and they serve as a buffer to various household noises. Choose from traditional designs with nostalgic charm, or modern panel lite styles for a fresh new look. Glass options are available to suit every taste.





Painted 10 Lite Wood Bar Door with Schlage Torino Lever in Aged Bronze



#### Modern Glass Designs




#### Frit \$ White obscured coating fused to tempered glass one side (1/8" single pane)



Frosted \$ White etch one side, smooth tempered glass one side (1/8" single pane)




White Laminated \$\$ White obscured coating between two panes of glass (1/4" dual pane)




### Traditional and Unique Glass Designs

























### ONE LITE



Handcrafted wood or primed engineered wood stile and rail designs can be mixed and matched with contemporary glass textures, creating endless combinations to complement your interior style. Consider using the space efficiency of pocket doors for smaller rooms, and bypass or double doors for closet access.

### Wood Veneer or Primed Engineered Wood Rim

Door	Primed engineered wood or hardwood veneer (wood species on page 20)
Profile	Ovolo Sticking (A) or Shaker Sticking (K) (refer to page 17); custom (upcharge)
Glass	Refer to pages 29-31
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), and 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Warranty	1 year limited

Stained Cherry I-Lite with Frosted Glass



Primed Engineered Wood I-Lite with Frosted Glass

Stained Knotty Alder I-Lite with Frosted Glass





Stained Oak I-Lite with Frosted Glass



Painted Primed Engineered Wood I-Lite Door with Clear Glass







Finding the right style to reflect your tastes is very important. These modern designs are a refreshing update to traditional French doors, highlighting the beauty of your contemporary decor. Their simple elegance allows natural light to cascade from room to room, filling your home with a magic all of its own.

#### Wood Veneer or Primed Engineered Wood Rim

)oor	Primed engineered wood or hardwood veneer (wood species on page 20)
Profile	Ovolo Sticking (A) or Shaker Sticking (K) (refer to page 17); custom (upcharge)
lass	Refer to pages 29-31
hickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
leight	80" (6/8), 84" (7/0), and 96" (8/0)
assage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Varranty	1 year limited



Panel Lite 82A / 282K	



### WOOD MULLION



Handcrafted wood mullion (wood bar) traditional style French doors are a beautiful addition to any home, and serve as a true reflection of personal taste. Choose from a wide variety of glass options and wood species. Doors are shipped unfinished, giving you the freedom to choose the perfect stain or paint colour to complement your home decor.

#### Wood Veneer or Primed Engineered Wood Rim

Door	Primed engineered wood or hardwood veneer (wood species on page 20)
Profile	Ovolo Sticking (A) or Shaker Sticking (K) (refer to page 17); custom (upcharge)
Glass	Refer to page 29-31 for glass options
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), and 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Warranty	l year limited

Maple 15-Pane Wood Mullion French Door with Clear Glass



5 Lite Wood Bar 5-LITE 020W



10 Lite Wood Bar 10-LITE 030W



12 Lite Wood Bar Raised Bottom Panel 12-LITE 065W



15 Lite Wood Bar 15-LITE 035W









### SPECIALTY DOORS



Bring fun, creativity and focus into your home or business with several unique panel options. Choose a wood species that will fit seamlessly with existing decor. Add organization with a magnetic chalkboard, and personal style with a decorative glass panel.

### Wood Veneer or Primed Engineered Wood Rim

Door	Primed e (wood sp
Profile	Ovolo Sti custom (
Panel	Chalkboa etched g
Thickness	1-3/8" or
Height	80" (6/8),
Passage	18" (1/6), 2
Warranty	1 year lin

1-Lite Decorative (etched glass)







White Board 1-Lite White Board (both sides)

Decorative Etched Glass Designs:



38



- engineered wood rim or hardwood veneer pecies on page 20)
- icking (A) or Shaker Sticking (K) (refer to page 17); (upcharge)
- ard, magnetic chalkboard, white board, decorative glass (see designs below)
- 1-3/4"
- , custom
- 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
- nited





Pantry 1-Lite Decorative (etched glass)









Wine 1-Lite Decorative (etched glass)





Laundry 1-Lite Decorative (etched glass)





### FLUSH PANEL



Flush panel doors provide a modern architectural look with natural beauty for smaller budget renovations. Choose from hardboard, natural wood veneer or prefinished panels.

Slab	
Door	Hardboard or wood veneer with high-quality wood conditioner; or factory prefinished with high-quality topcoat
Core	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"
Height	80" (6/8), 84" (7/0), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0), 42" (3/6), 48" (4/0)
Bifold	18" (1/6), 24" (2/0), 30" (2/6), 36" (3/0)
Fire Rating	20, 45, 60, and 90 minute (1-3/4" thickness only)
Optional	Matching wood species, all sides; prefinishing <i>Custom sizes available</i>
Warranty	Residential grade - 1 year limited; Commercial grade - 3 year limited

Uniform Light Birch Flush Panel Door

#### Unfinished Wood Flush Panels ENLARGED TO SHOW DETAIL

•



Raw Hardboard




Natural Birch





Uniform Light Birch



(Requires Primer, Paint or Stain)

#### Primed Textured



#### Select White Birch





Painted Primed Hardboard Door and Schlage Orbit Knob with Greyson Trim in Satin Nickel



h

MASONITE.





Natural Maple



Flat Sliced Red Oak



Rotary Mahogany

Factory Prefinished Flush Panels ENLARGED TO SHOW DETAIL



Driftwood Oak



Albany Maple

#### (Requires Primer, Paint or Stain)



Select White Maple



Rift Cut Red Oak



Flat Sliced White Oak



Rift Cut White Oak



Marquis Oak



Newport Cherry



(No Finishing Required)

Strand Oak



Spiced Ash



### LUXURY RESIDENTIAL

With architects, designers, and builders in mind, Madero's design team is current on the latest trends and materials. They are committed to supplying industry standard doors, hardware, mouldings, and accessories that not only look beautiful, but can endure the rigors of time.

Whether the focus is modern, contemporary, colonial or eclectic, Madero has a deep respect for the subtleties of good, timeless design. Wood veneers matched to the most precise millwork, hardware forged from solid brass, and hinges that glide effortlessly, are just a few of the luxuries available from some of the world's most reputable manufacturers.



Custom Grain Architectural Door with Fusital H335 Novantotto Lever in Polished Chrome Custom Designed, Built to Last

Madero's luxury residential doors stand up to heavy traffic. Greatly exceeding established standards, they're the toughest in the industry. A perfect blend of beauty and durability.

#### For more information, visit:





www.baillargeondoors.com

COLLECTIONS

Μ



#### Wood Species

Rotary cut, rift cut, quarter or plain slice. Vertical or horizontal grain. Book matched, slip matched, random matched, and more. Nearly any wood species is available in any cut, match, and stain color. From reclaimed African hardwoods to tobacco stained white birch from the sustainably harvested forests of Canada. The following is a list of the standard veneers found within the realms of Canadian design.





White Birch

Walnut



White Maple

Cherry

#### Factory Applied Finishes

Custom color matching is available for any project – large or small. Below are the standard finish choices and the variance you will find due to natural differences in the wood veneers. Custom finishes require a submitted sample.



Natural Birch

Medium Brown Dark Brown BS-13-25 BS-30-25

Dark Mahogany BS-34-25

DISCLAIMER: Due to variations between monitors and colour printers, colours seen here may not be accurate. If you are concerned about exact colour and texture matches, we recommend you first request a sample to ensure proper colour representation.







Red Oak

White Oak



Zebrawood





Medium Mahogany BS-12-25



Mocha Brown BS-29-25



Cognac Brown BS-26-25



Custom



### SLIDING PANEL DOORS

Ideal for Multi-Family/Condo PROJECT PRICING AVAILABLE

Madero offers a complete line of sliding or bifold paneled doors with mirrored and decorative options. Add brightness and depth to any room with mirror panels, or choose glass or laminate panel combinations to add light and contrast to your decor. These sliding doors are fast and easy to install, fully adjustable for out-ofsquare retrofit openings, and built for a lifetime of dependable performance.











Steel Framed Bifold Mirror Doors with Slimline Frame  $_{\mbox{M06}}$ 



Steel Framed Sliding Mirror Doors and Matching Fascia  $_{\mbox{M10}}$ 

### BARN TRACK HARDWARE

#### Solid Flat Bar Hardware Kits \$

- Hangers Straight Strap, Top of Door Strap, or Bent Strap Application 1-3/8" wood door; maximum weight 150 lbs per door Track 78-3/4" trimmable flat track; 1-9/16" height
- Opening Up to 36" wide; multiple tracks required for wider openings
- Finishes Stainless Steel, Matte Black, Bronze

Hollow Round Bar Hardware Kits \$\$

Hangers

Track

Opening

- Contents Flat track, 5 wall spacers, 2 hangers, 2 anti-jump discs, high density plastic wheels, floor guides, anchors, bolts/screws
- Joiner kit includes hex key and 4 heavy-duty matching screws, Options for double door barn track application requiring 2 track lengths Optional 96" trimmable track available (special order)





Straight Strap Top of Door Strap BD100K-07800





Bent Strap BD102K-07800

Joiner Kit BD125-MB (Matte Black) BD125-SS (Stainless Steel)











#### rollers; specify length (78" or 98") Up to 36" wide; multiple tracks required for wider openings

304 Stainless Steel track with end caps; hangers with nylon coated

- Finishes Brushed or Polished Stainless Steel, or Dark Bronze
- Contents Solid stainless steel track with end caps, 2 hangers, wall brackets, 1 bottom door guide, 2 track stops, mounting and installation hardware

Equipped with anti-rise pin; 3-13/16" to 5-3/16" heights

Application 1-3/4" wood or 3/8"-1/2" glass door; maximum weight 240 lbs per door





W60 Top Mount 4-3/8" height; up to 176 lbs.




W100 Strap Mount 3-13/16" height; up to 198 lbs.





Hangers Top Mount, Strap Mount, or Face Mount Application Wood or tempered glass door; up to 350 lbs per door 2 hangers - 350 lbs; 3 hangers - 450 lbs; 4 hangers - 600 lbs Capacity Solid 1" diameter round bar; specify length with order Track Finishes Polished #304 Satin Stainless Steel, or Matte Black Bar track, wall mount brackets, 2 hangers per door, Contents 2 shock-absorbing compression stops, aluminum guides





Top Mount: 1-3/8" Doors CRT-101 Hanger




Strap Mount: 1-3/4" Doors CRT-102 Hanger





Painted Riverside 5-Panel Equal on Acme Barn Track with Straight Strap Hangers in Bronze, and Rockwood SoftMet 16" Offset Pull





### HINGE OPTIONS

#### Madero Door Hinges

3-1/2" x 3" ball bearing reversible hinges are typically used for standard 1-3/8" door slab.



Finishes: C-2G Zinc Plated C-4 Brushed Brass C-10B Oil Rubbed Bronze

Door hinges look best when matched to your chosen locksets. Choose from our finish options to achieve a custom look.

> C-15 Satin Nickel C-15A/C-17A Antique Nickel C-32D Stainless Steel C-ID Matte Black C-26D Brushed Chrome

> > SIMONSWERK

Concealed \$\$\$

German-Made Adjustable

Concealed Hinge System

Sample shown: TECTUS 340 3D



**REQUIREMENTS:** 



4 hinges for 8/0 door

### WOOD FRAME OPTIONS

#### Madero Jamb Packs

Choose from primed MDF or matching wood veneer, ready to paint or stain. Madero's jamb packs ship complete with flat jamb or rabbeted jamb, door stop (flat jamb only), machined jamb, and three 3-1/2" ball bearing hinges on handed jamb packs. Reversible jamb packs include plain bearing reversible hinges.

- Bullnose or Colonial stop available
- · Jamb packs are available left or right handed, or reversible

#### **Custom Frames**

Choose from primed or matching wood veneer, ready to paint or stain. Available for 1-3/8" or 1-3/4" doors; jamb depths to accommodate wall thickness.



0

M Madero



**IVES**。

Architecturally Designed Hinges

architectural, decorative or concealed.

Architectural \$\$ Sample shown: 3CBI 3 Knuckle, Concealed Bearing Full Mortise Hinge

Standard 1-3/4" doors require 4-1/2" ball bearing hinges, or choose from

0

0



Decorative/Custom \$\$\$ Sample shown: Square Barrel 2 Knuckle, Concealed Bearing Hinge











# FIRE RATED FRAME OPTIONS

Madero offers the best in door components for the ultimate finished look. Choose a matching frame to complement your new door, made of primed finger joint pine, smooth white or textured woodgrain composite, or galvanized steel.

When safety standards are a priority, choose fire rated doors and frames. Madero's interior door product line features the standard 20 minute Warnock Hersey fire rating, with optional 45, 60, and 90 minute ratings available. These materials can withstand extreme temperatures and keep what's inside safe.





#### 20 Minute Fire Rated Finger joint Pine Frame (primed)

Primed, kiln-dried fingerjointed pine frames provide beauty and strength with a Warnock Hersey certified 20 minute fire rating. They are suitable for interior or exterior use when painted or stained.

- Available up to 8-7/8" jamb depth
- Available with or without kerf application



#### 20 Minute Fire Rated Composite Frame

Madero's unique composite jamb product offers built-in advantages that are unmatched in the door industry. Our maintenance-free product means less work for you and longer life for the entry unit. Composite frames are very strong, with superior screw holding power and a tough exterior finish. Available in both smooth white and textured woodgrain finishes, these frames are designed to coordinate with any color and style of door.


• Available in 4-9/16", 6-9/16" or 8-9/16" jamb depths only Prefinished Smooth White can be painted

Textured Woodgrain requires stain or paint



#### 90 Minute Fire Rated Steel Frame

Steel frames provide additional security as they are strong and durable, with a Warnock Hersey certified 90 minute fire rating. They are suitable for a variety of applications including welded, expandable and drywall anchored frames. Galvanized steel frames will accept paint, and require minimal maintenance.







### Make Your Grand Entrance.


Looking for a high quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



Entry Series



Garden Patio Door Series



Mid-Century Modern



Artisan Series



**Contempra Series** 



Commercial

**Calgary** T 1.866.664.7664 • F 1.403.204.7665 **Saskatoon** T 1.800.667.6977 • F 1.306.934.7644 Winnipeg T 1.855.706.0200 • F 1.204.594.0201

### Visit us at: **www.madero.ca**

Brochure design by

