


2018 - 2019



# INTERIOR DOOR COLLECTIONS

Madero's interior door collections feature the latest designs and timeless classics, providing a range of style, material, and budget options to suit your specific needs. From renovations to new home construction, these doors will provide exceptional value and style for your home.


Interior doors are readily available in 6'8", 7'0", 8'0", or custom door slab heights, and standard widths. Hardware, frame and mounting options are available to ensure that your interior doors will complement the decor in every room.

### Contents

Moulded Panel	6-15
Expo	8-11
Heritage® Series	8-9
West End Collection®	10-11
Classics™	12-13
Select™	14-15
Stile & Rail	16-27
Primed Engineered Wood	18-19
Wood Panel	20-25
Louver Doors	26-27
French Doors	28-39
Glass Options	29-31
One Lite	32-33
Panel Lite	34-35
Wood Mullion	36-37
Specialty Doors	38-39
Flush Panel	40-43
Luxury Residential	44-47
Sliding Panel Doors	48-49
Barn Track Hardware	50-51
Hinge Options	52
Wood Frame Options	53
Fire Rated Frame Options	54-55







# MADERO. DOORS FOR LIFE.

Modern, contemporary, colonial, or eclectic, Madero has a deep respect for the subtleties of timeless design, but it doesn't end there. Partnering with innovative manufacturers and offering industry-leading warranties, Madero's selection of doors stand the test of time.

Take a look, and see what you find. For more, visit us online at www.madero.ca.




## MOULDED PANEL

Madero is proud to partner with Masonite® to provide moulded panel doors that have been transforming interiors for over 80 years. Together we are relentlessly committed to delivering product, service and design innovations which will enhance the beauty and functionality of your home.

### Quality Is Our Standard

Moulded panel doors from Masonite are more durable and resist warping, shrinking and cracking. These beautifully engineered doors are available in a smooth or textured woodgrain finish, with matching bifolds to suit any decor. They come in a wide range of widths and heights and are primed for easy finishing. By-product wood chips and timber from sustainably managed forests are used at Masonite facilities, with a commitment to environmental excellence in every step of the door manufacturing process.









- · Perfect solution for budget-minded customers.
- 1-3/8" or 1-3/4" thickness available; primed white and ready to paint.
- Contains pre-consumer recycled content, resource efficient materials and a honeycomb core.



### Safe 'N Sound® Solid Core

- For reduced sound transmission; ideal for bathrooms and bedrooms where privacy and safety are a concern.
- 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.
- 20 minute fire rating available in 1-3/4" thickness only.
- Offers heft and feel of solid wood; primed white and ready to paint.
- Manufactured with DorCor<sup>™</sup>, a low density fiberboard made from wheat straw (annually renewable, agricultural, wheat by-product).



### Safe 'N Sound® Emerald™ Solid Core

- Ideal product for allergen-sensitive customers requiring optimal air quality.
- 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.
- 20 minute fire rating available in 1-3/4" thickness only.
- Offers heft and feel of solid wood; primed white and ready to paint.
- Forest Stewardship Council (FSC) certified wood, containing environmentally preferred products: low emissions adhesives and sealants, extremely low VOC emissions, and no added urea-formaldehyde (NAUF).





# ment of the Painted Lincoln Park 1-Panel Equal Door





Winslow 3-Panel



Door

### Moulded Shaker Panel Slab

Paintable moulded panel; smooth primed surface

Core Hollow core 1-3/8" or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

**Thickness** 1-3/8" or 1-3/4"; bifold 1-3/8" only

**Height** 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

**Bifold** 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

**Optional** Safe 'N Sound® Emerald™ solid core (1-3/8" only)

Warranty 1 year limited

Masonite's Heritage® Series features stile and rail inspired designs with clean, simple lines that will provide a distinctive look for any interior decor. For increased privacy and sound reduction, choose the solid core option.



Shaker Style Detail



Lincoln Park LINC 1-Panel Equal



Winslow WINS 3-Panel: 1 Square Panel with 2 Vertical Panels (Not available in 96" height)



Logan LOGAN 2-Panel





# WEST END COLLECTION



Berkley 6-Panel Equal with 1 Vertical Panel

### MMASONITE **EXPO**<sub>TM</sub>

### Moulded Grooved Panel Slab

Paintable moulded panel; smooth primed surface Door Hollow core or solid core (refer to page 7); solid core Core recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0)

18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0) Passage

24" (2/0), 30" (2/6), 36" (3/0) Bifold Fire Rated 20 minute (1-3/4" only)

Safe 'N Sound® Emerald™ solid core

Warranty 1 year limited

Masonite's West End™ Collection features metropolitan inspired designs with bold, graphic lines for eye-catching profiles. These clean, simple styles will complement any contemporary interior decor. For increased privacy and sound reduction, choose the solid core option. West End doors are very affordable, giving you the most value for a modern look.



Berkley 6-Panel Equal with 1 Vertical Panel



Hamel 6-Panel Equal with 2 Vertical Panels (Not available in 18" width)



Melrose 6-Panel Equal (Not recommended for double doors)







# CLASSICS MOULDED PANEL



Roman

### MASONITE **CLASSICS**<sub>TM</sub>

### Moulded Raised Panel Slab

Paintable moulded panel; textured woodgrain or smooth Door

primed surface

Core Hollow core or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0), 96" (8/0)

18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0) Passage

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20, 45, 60 minute on select designs and sizes

Safe 'N Sound® Emerald™ solid core

Warranty 1 year limited

The Masonite Classics™ Moulded Panel Series is the industry benchmark for all moulded wood doors and features five popular door designs.



Carrara CARR • 2PSM Smooth only: 6/8, 7/0, 8/0



Classique Textured: 80" height only

Smooth:

6/8, 7/0, 8/0


Clermont Textured: 80" height only



Colonist Smooth or Textured: Smooth only:

Coventry

Roman ROM • 2ROMNSM Smooth only: 6/8, 7/0, 8/0 (96" height not available in bifold)







# MINIMAL Painted Saddlebrook 1-Panel V-Groove Plank

# SELECT MOULDED PANEL



Riverside 6-Panel Equal (8/0)



### Moulded Classic Panel Slab

Door Paintable moulded panel; smooth primed surface

Core Hollow core or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

**Height** 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

**Bifold** 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rated 20 minute (1-3/4" only)

**Optional** Safe 'N Sound® Emerald™ solid core

Warranty 1 year limited

The SELECT™ Collection is a special edition of the Moulded Panel Series, honouring more than 80 years of Masonite's heritage of innovation. These classic designs with a smooth, primed surface offer the ultimate in wood door authenticity.



Cheyenne CHEY

2-Panel Camber Top Plank; 80" or 96" height only



Riverside

5-Panel Equal (80", 84"); 6-Panel Equal (96")



Saddlebrook SAD


1-Panel V-Groove Plank; 80" or 96" height only





# STILE & RAIL


Madero offers a complete line of interior stile and rail wood doors to meet any architectural or design requirement. The wood panel designs include traditional and contemporary styles, from a variety of sustainably harvested wood species. Add warmth and richness to any room with the look and feel of natural solid hardwood veneer — constructed to withstand the daily rigors of family life.




Woodport Doors is a seasoned, quality supplier of authentic wood doors, located near the rustic forest region of Wisconsin's North Woods. This area has a long history of the woodworking trade, and they are proud to continue the craft. Skilled men and women build stile and rail wood doors as beautiful as they are strong. Make your dream door a reality from a wide product selection — we're confident you'll find the perfect style for your home.



### Standard Panel/Sticking Profiles







17

# PRIMED ENGINEERED WOOD



Primed Engineered Wood **3-Panel Mission** 

Primed engineered wood doors combine the best of authentic stile and rail craftsmanship with engineered wood technology for more stability than solid wood. Ideal for painted applications, these 18 popular panel designs will give your home a true mark of distinction.

### **Engineered Wood Slab**

Door Primed engineered wood with smooth paintable surface Profile

Raised Panel (A) or Shaker Panel (K) (refer to page 17);

custom (upcharge)

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only Height 80" (6/8), 84" (7/0), and 96" (8/0)

18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0) Passage

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Warranty 1 year limited



3 Panel Equal



Equal

272A / 272K

5 Panel Equal 282A / 282K



1 Panel Square 271A / 271K



2 Panel Square 092A / 092K



3 Panel Square 116A / 116K



4 Panel

Square

095A / 095K

5 Panel Square 103A / 103K



6 Panel Square 105A / 105K



Camber Top



3 Panel Mission 303A / 303K



2 Panel Arch Top 093A



3 Panel Arch Top





4 Panel Arch Top 097A



5 Panel Arch Top



2 Panel Camber Top 265A / 265K



3 Panel Camber Top 287A / 287K



Camber Top



INTERIOR DOOR COLLECTIONS



# WOOD PANEL



Hemlock 4-Panel Equal Shaker

Handcrafted wood doors transcend the ordinary, commanding attention with timeless beauty at an affordable price. Natural hardwood with wood composite core construction provides excellent thermal efficiency in all seasons. Distinctive raised panels (profile A) or modern shaker panels (profile K) bring refinement to any decor.

### Wood Veneer Slab

**Door** Natural wood veneer overlay on wood composite

core construction

**Profile** Raised Panel (A) or Shaker Panel (K) (refer to page 17);

custom (upcharge)

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

**Height** 80" (6/8), 84" (7/0), and 96" (8/0) (Subject to availability)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Bifold 24" (2/0), 30" (2/6), 36" (3/0)

Optional Solid wood (finger-joint) core

Warranty 1 year limited

### Standard Wood Species



African Mahogany



Hemlock HEM



White Poplar



Birch Birch



Hickory HIC



Red Oak



Cherry CHERRY



Knotty Pine



Select Alder



Douglas Fir



Knotty Alder KALDER




Walnut



Hard Maple

White Oak WOAK



# Stained White Oak 3-Panel Square Raised Panel Door

### **Wood Panel Designs**



3 Panel Equal 281A / 281K Shown in Knotty Alder



4 Panel Equal 272A / 272K Shown in Hickory



5 Panel Equal 282A / 282K Shown in Maple



1 Panel Square 271A / 271K Shown in White Poplar



2 Panel Square 092A / 092K Shown in Maple



3 Panel Square Shown in Red Oak



4 Panel Square 095A / 095K Shown in Knotty Pine



5 Panel Square 103A / 103K Shown in African Mahogany



6 Panel Square 105A / 105K Shown in Pine



# Painted White Poplar 3-Panel Arch Top Raised Panel Door

### **Wood Panel Designs**



3 Panel Mission 303A / 303K Shown in Cherry



4 Panel Arch Top





3 Panel Camber Top 287A / 287K







5 Panel Arch Top Shown in Hickory



4 Panel Camber Top 266A / 266K Shown in Fir



3 Panel Arch Top Shown in White Poplar



2 Panel Camber Top 265A / 265K Shown in Walnut



5 Panel Camber Top 326A / 326K Shown in Hemlock



# LOUVER DOORS



Panel Over Louver also Available

Louver doors are perfect for pantries, closets and laundry rooms,

— concealing the area while allowing for airflow and freshness in
challenging environments. They are also useful for fitting rooms and
maintenance rooms. These classic, sturdy doors provide both privacy
and ventilation.

### Wood Veneer or Primed Engineered Wood Slab

**Door** Primed engineered wood or hardwood veneer

(wood species on page 20)

**Profile** Louver Craftsman Panel; custom (upcharge)

Slats 1-1/4" (standard louver) or 2-1/4" (plantation louver)

**Thickness** 1-3/8" or 1-3/4"; bifold 1-3/8" only **Height** 80" (6/8), 84" (7/0), and 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)

Bifold 18" (1/6), 24" (2/0), 30" (2/6), 36" (3/0)

Warranty 1 year limited

### Louver Over Panel



Plantation 2-1/4" Wood Species LOUV/PNL

(Also available in primed)



Standard 1-1/4"
Primed
LOUV/PNL
(Also available in wood species)


### Louver Over Louver



Plantation 2-1/4"
Wood Species
LOUV/LOUV
(Also available in primed)




Standard I-I/4"
Primed
LOUV/LOUV
(Also available in wood species)



# FRENCH DOORS

French doors are a smart choice for adding privacy to a study or home office, without robbing it of valuable lighting. In addition to keeping light flowing into the room, they provide a secure view into your home. The need to hold private conversations or finish work at home may isolate you from your family. By using French doors, you won't be secluded behind a solid wood door, and they serve as a buffer to various household noises. Choose from traditional designs with nostalgic charm, or modern panel lite styles for a fresh new look. Glass options are available to suit every taste.








### Modern Glass Designs



Frit \$
White obscured coating fused to tempered glass one side
(1/8" single pane)




Frosted \$
White etch one side, smooth tempered glass one side
(1/8" single pane)



White Laminated \$\$
White obscured coating between two panes of glass
(1/4" dual pane)

# Varnished White Oak 4 Panel Lite Door with Flemish Glass

### Traditional and Unique Glass Designs


























# ONE LITE



Stained Cherry I-Lite with Frosted Glass

Handcrafted wood or primed engineered wood stile and rail designs can be mixed and matched with contemporary glass textures, creating endless combinations to complement your interior style. Consider using the space efficiency of pocket doors for smaller rooms, and bypass or double doors for closet access.

### Wood Veneer or Primed Engineered Wood Rim

**Door** Primed engineered wood or hardwood veneer

(wood species on page 20)

**Profile** Ovolo Sticking (A) or Shaker Sticking (K) (refer to page 17);

custom (upcharge)

Glass Refer to pages 29-31

**Thickness** 1-3/8" or 1-3/4"; bifold 1-3/8" only **Height** 80" (6/8), 84" (7/0), and 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)



Primed Engineered Wood I-Lite with Frosted Glass




Stained Knotty Alder 1-Lite with Frosted Glass



Unfinished Maple 1-Lite with Frosted Glass



Stained Oak I-Lite with Frosted Glass





# PANEL LITE



Clear Pine 3-Panel Lite with Frit Glass Inserts

Finding the right style to reflect your tastes is very important. These modern designs are a refreshing update to traditional French doors, highlighting the beauty of your contemporary decor. Their simple elegance allows natural light to cascade from room to room, filling your home with a magic all of its own.

### Wood Veneer or Primed Engineered Wood Rim

Primed engineered wood or hardwood veneer (wood species on page 20)


Ovolo Sticking (A) or Shaker Sticking (K) (refer to page 17); Profile

custom (upcharge)

Glass Refer to pages 29-31

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only Height 80" (6/8), 84" (7/0), and 96" (8/0)

18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0) Passage





# WOOD MULLION



Maple 15-Pane Wood Mullion French Door with Clear Glass

Handcrafted wood mullion (wood bar) traditional style French doors are a beautiful addition to any home, and serve as a true reflection of personal taste. Choose from a wide variety of glass options and wood species. Doors are shipped unfinished, giving you the freedom to choose the perfect stain or paint colour to complement your home decor.

### Wood Veneer or Primed Engineered Wood Rim

**Door** Primed engineered wood or hardwood veneer

(wood species on page 20)

**Profile** Ovolo Sticking (A) or Shaker Sticking (K) (refer to page 17);

custom (upcharge)

Glass Refer to page 29-31 for glass options

Thickness 1-3/8" or 1-3/4"; bifold 1-3/8" only

Height 80" (6/8), 84" (7/0), and 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)



5 Lite Wood Bar 5-LITE 020W



10 Lite Wood Bar 10-LITE 030W



12 Lite Wood Bar Raised Bottom Panel 12-LITE 065W



15 Lite Wood Bar 15-LITE 035W





# SPECIALTY DOORS



1-Lite Decorative (etched glass)

Bring fun, creativity and focus into your home or business with several unique panel options. Choose a wood species that will fit seamlessly with existing decor. Add organization with a magnetic chalkboard, and personal style with a decorative glass panel.

### Wood Veneer or Primed Engineered Wood Rim

**Door** Primed engineered wood rim or hardwood veneer

(wood species on page 20)

**Profile** Ovolo Sticking (A) or Shaker Sticking (K) (refer to page 17);

custom (upcharge)

Panel Chalkboard, magnetic chalkboard, white board, decorative

etched glass (see designs below)

Thickness 1-3/8" or 1-3/4"

Height 80" (6/8), custom

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)



Chalk 1-Panel Chalkboard (both sides)



Chalk 2-Panel Chalkboard (both sides)



White Board 1-Lite White Board (both sides)



Pantry
1-Lite Decorative
(etched glass)



Wine 1-Lite Decorative (etched glass)



Laundry 1-Lite Decorative (etched glass)













# FLUSH PANEL



Uniform Light Birch Flush Panel Door Flush panel doors provide a modern architectural look with natural beauty for smaller budget renovations. Choose from hardboard, natural wood veneer or prefinished panels.

### Slab

**Door** Hardboard or wood veneer with high-quality wood

conditioner; or factory prefinished with high-quality topcoat

Core Hollow core or solid core (refer to page 7); solid core

recommended for bedrooms and bathrooms

Thickness 1-3/8" or 1-3/4"

**Height** 80" (6/8), 84" (7/0), 96" (8/0)

Passage 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10),

36" (3/0), 42" (3/6), 48" (4/0)

**Bifold** 18" (1/6), 24" (2/0), 30" (2/6), 36" (3/0)

Fire Rating 20, 45, 60, and 90 minute (1-3/4" thickness only)

**Optional** Matching wood species, all sides; prefinishing

Custom sizes available

Warranty Residential grade - 1 year limited;

Commercial grade - 3 year limited


### Unfinished Wood Flush Panels ENLARGED TO SHOW DETAIL



Raw Hardboard



Natural Birch



Primed Hardboard



Uniform Light Birch




Primed Textured



Select White Birch





### Unfinished Wood Flush Panels ENLARGED TO SHOW DETAIL

(Requires Primer, Paint or Stain)





Select White Maple



Flat Sliced White Oak



Flat Sliced Red Oak



Rift Cut Red Oak



Rift Cut White Oak



Rotary Mahogany



Factory Prefinished Flush Panels ENLARGED TO SHOW DETAIL





Driftwood Oak



Marquis Oak



Strand Oak



Albany Maple






# LUXURY RESIDENTIAL

With architects, designers, and builders in mind, Madero's design team is current on the latest trends and materials. They are committed to supplying industry standard doors, hardware, mouldings, and accessories that not only look beautiful, but can endure the rigors of time.

Whether the focus is modern, contemporary, colonial or eclectic, Madero has a deep respect for the subtleties of good, timeless design. Wood veneers matched to the most precise millwork, hardware forged from solid brass, and hinges that glide effortlessly, are just a few of the luxuries available from some of the world's most reputable manufacturers.





### Custom Designed, Built to Last

Madero's luxury residential doors stand up to heavy traffic. Greatly exceeding established standards, they're the toughest in the industry. A perfect blend of beauty and durability.


For more information, visit:



www.masonite.com/architectural/home



www.baillargeondoors.com



### **Wood Species**

Rotary cut, rift cut, quarter or plain slice. Vertical or horizontal grain. Book matched, slip matched, random matched, and more. Nearly any wood species is available in any cut, match, and stain color. From reclaimed African hardwoods to tobacco stained white birch from the sustainably harvested forests of Canada. The following is a list of the standard veneers found within the realms of Canadian design.



### Factory Applied Finishes

Custom color matching is available for any project — large or small. Below are the standard finish choices and the variance you will find due to natural differences in the wood veneers. Custom finishes require a submitted sample.



DISCLAIMER: Due to variations between monitors and colour printers, colours seen here may not be accurate. If you are concerned about exact colour and texture matches, we recommend you first request a sample to ensure proper colour representation.



# SLIDING PANEL DOORS


## Ideal for Multi-Family/Condo

PROJECT PRICING AVAILABLE

Madero offers a complete line of sliding or bifold paneled doors with mirrored and decorative options. Add brightness and depth to any room with mirror panels, or choose glass or laminate panel combinations to add light and contrast to your decor. These sliding doors are fast and easy to install, fully adjustable for out-of-square retrofit openings, and built for a lifetime of dependable performance.



# KING STAR







Steel Framed Bifold Mirror Doors with Slimline Frame



Steel Framed Sliding Mirror Doors and Matching Fascia  $_{\rm MIO}$ 

## BARN TRACK HARDWARE

### Solid Flat Bar Hardware Kits \$

Hangers Straight Strap, Top of Door Strap,

or Bent Strap

Application 1-3/8" wood door; maximum weight 150 lbs per door

Track 78-3/4" trimmable flat track; 1-9/16" height

**Opening** Up to 36" wide; multiple tracks required for wider openings

Finishes Stainless Steel, Matte Black, Bronze

**Contents** Flat track, 5 wall spacers, 2 hangers, 2 anti-jump discs, high

density plastic wheels, floor guides, anchors, bolts/screws

**Options** Joiner kit includes hex key and 4 heavy-duty matching screws,

for double door barn track application requiring 2 track lengths Optional 96" trimmable track available (special order)



acme®/MD

Straight Strap BD100K-07800



Bent Strap BD102K-07800

6334

BD125-MB (Matte Black) BD125-SS (Stainless Steel)

# Hollow Round Bar Hardware Kits \$\$ ASSA ABLOY

Hangers Equipped with anti-rise pin; 3-13/16" to 5-3/16" heights

**Application** 1-3/4" wood\*; maximum weight 198 lbs per door

Track 304 Stainless Steel track with end caps; hangers with nylon coated

rollers; specify length (78" or 98")

**Opening** Up to 36" wide; multiple tracks required for wider openings

Finishes Brushed or Polished Stainless Steel, Black or Satin Bronze Powder Coated

**Contents** Solid stainless steel track with end caps, 2 hangers, wall brackets,

1 bottom door guide, 2 track stops, mounting and installation hardware



W60 Top Mount 4-3/8" height; up to 176 lbs.



W100 Strap Mount 3-13/16" height; up to 198 lbs.

### Solid Round Bar Hardware Kits \$\$\$

**Hangers** Top Mount, Strap Mount, or Face Mount

Application Wood\*; up to 350 lbs per door

Capacity 2 hangers - 350 lbs; 3 hangers - 450 lbs; 4 hangers - 600 lbs

Track Solid I" diameter round bar; specify length with order

Finishes Polished #304 Satin Stainless Steel, or Matte Black

**Contents** Bar track, wall mount brackets, 2 hangers per door,

2 shock-absorbing compression stops, aluminum guides


Optional Alternate heavy duty and wall mount guides



Top Mount: 1-3/8" Doors CRT-101 Hanger



Strap Mount: 1-3/4" Doors CRT-102 Hanger







K.N.CROWDER mfg.inc.



# HINGE OPTIONS

### Madero Door Hinges

3-1/2" x 3" ball bearing reversible hinges are typically used for standard 1-3/8" door slab.





Door hinges look best when matched to your chosen locksets. Choose from our finish options to achieve a custom look.

Finishes:

C-2G Zinc Plated C-4 Brushed Brass C-10B Oil Rubbed Bronze C-15 Satin Nickel C-15A/C-17A Antique Nickel C-26D Brushed Chrome C-32D Stainless Steel C-ID Matte Black

### **Architecturally Designed Hinges**

Standard 1-3/4" doors require 4-1/2" ball bearing hinges, or choose from architectural, decorative or concealed.



Ball Bearing \$
Sample shown: C-26D

4-1/2"x4"


Brushed Chrome

# IVES<sub>®</sub>



Architectural \$\$
Sample shown: 3CBI
3 Knuckle, Concealed
Bearing Full Mortise Hinge

### McKinney ASSA ABLOY




Decorative/Custom \$\$\$
Sample shown: Square Barrel
2 Knuckle, Concealed Bearing Hinge

### **SIMONSWERK**



Concealed \$\$\$
Sample shown: TECTUS 340 3D
German-Made Adjustable
Concealed Hinge System

### REQUIREMENTS:



3 hinges for 6/8 door



4 hinges for 8/0 door

# WOOD FRAME OPTIONS

### Madero Jamb Packs

Choose from primed MDF or matching wood veneer, ready to paint or stain. Madero's jamb packs ship complete with flat jamb or rabbeted jamb, door stop (flat jamb only), machined jamb, and three 3-1/2" ball bearing hinges on handed jamb packs. Reversible jamb packs include plain bearing reversible hinges.

- Bullnose or Colonial stop available
- · Jamb packs are available left or right handed, or reversible



### **Custom Frames**

Choose from primed or matching wood veneer, ready to paint or stain. Available for 1-3/8" or 1-3/4" doors; jamb depths to accommodate wall thickness.



COLLECTIONS

INTERIOR DOOR








# FIRE RATED FRAME OPTIONS

Madero offers the best in door components for the ultimate finished look. Choose a matching frame to complement your new door, made of primed finger joint pine, smooth white or textured woodgrain composite, or galvanized steel.









### 20 Minute Fire Rated Finger joint Pine Frame (primed)

Primed, kiln-dried fingerjointed pine frames provide beauty and strength with a Warnock Hersey certified 20 minute fire rating. They are suitable for interior or exterior use when painted or stained.

- Available up to 8-7/8" jamb depth
- · Available with or without kerf application



### 20 Minute Fire Rated Composite Frame


Madero's unique composite jamb product offers built-in advantages that are unmatched in the door industry. Our maintenance-free product means less work for you and longer life for the entry unit. Composite frames are very strong, with superior screw holding power and a tough exterior finish. Available in both smooth white and textured woodgrain finishes, these frames are designed to coordinate with any color and style of door.

- Available in 4-9/16", 6-9/16" or 8-9/16" jamb depths only
- Prefinished Smooth White can be painted
- Textured Woodgrain requires stain or paint



### 90 Minute Fire Rated Steel Frame

Steel frames provide additional security as they are strong and durable, with a Warnock Hersey certified 90 minute fire rating. They are suitable for a variety of applications including welded, expandable and drywall anchored frames. Galvanized steel frames will accept paint, and require minimal maintenance.









### Art of the Door.

Looking for a high quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



**Entry Series** 



**Designer Entry Series** 



**B&W Designer Entry Series** 



Modern



Artisan Collection



**Garden Patio Series** 



Commercial



Interior (e-version only)

### Calgary

T 1.866.664.7664 • F 1.403.204.7665

### Saskatoon

T 1.800.667.6977 • F 1.306.934.7644

### Winnipeg

T 1.855.706.0200 • F 1.204.594.0201

Visit us at:

www.madero.ca

Brochure design by



