

**MAXIMUM SIZES  
AND GLAZING SIZES**

**SCHEDULE OF MAXIMUM SIZES  
FOR METAL DOORS**

SERIES	MAXIMUM SIZE UNLABELLED		MAXIMUM SIZE LABELLED		MAXIMUM LABEL
	IN SINGLES	IN PAIRS	IN SINGLES	IN PAIRS	
LS 20 - (.91)	3'0" x 7'0" (914) x (2134)	6'0" x 7'0" (1829) x (2134)	3'0" x 7'0" (914) x (2134)	6'0" x 7'0" (1829) x (2134)	1-1/2 HOUR
LS 18 - (1.2)	4'0" x 10'0" (1219) x (3048)	8'0" x 10'0" (2438) x (3048)	4'0" x 10'0" (1219) x (3048)	8'0" x 10'0" (2438) x (3048)	3 HOUR
LS 16 - (1.5)	4'6" x 10'0" (1372) x (3048)	9'0" x 10'0" (2743) x (3048)	4'0" x 10'0" (1219) x (3048)	8'0" x 10'0" (2438) x (3048)	3 HOUR

**PERMITTED LITE SIZES  
IN METAL DOORS**

DOOR TYPE	EXPOSED CLEAR GLASS	MAXIMUM PERMITTED LABEL
"VL" Vision Lite	9-3/4"-(248) x 9-3/4"-(248)	1-1/2 HOUR
"NL" Narrow Lite	5"-(127) x 18-3/4"-(476)	1-1/2 HOUR
"LNL" Long Narrow Lite	5"-(127) x Varies*	3/4 HOUR
"DNL" Double Narrow Lite	2 @ 5" (127) x Varies*	3/4 HOUR
"HG" Half Glass	Varies*	3/4 HOUR
"FG" Full Glass	Varies*	3/4 HOUR *
"FGWR" Full Glass w/Centre Rail	2 x Varies	3/4 HOUR

\* SPECIAL GLAZING AND/OR GLAZING COMPOUND REQUIRED

**\*NOTE**

Where a dimension is shown as "Varies", the maximum permitted Lite Size must not exceed **1296** square inches, (835, 396) square mm, no vertical or horizontal dimension to exceed **54"** (1371). Lite sizes do vary according to the overall width and/or height of the doors.

\*SEE PAGES 1115 to 1119 FOR FURTHER LABELLING LIMITATIONS

NO LABELLING IS PERMITTED ON DOORS WHICH DO NOT MEET THE HARDWARE REQUIREMENTS FOR FIRE LABELLED DOORS.

Dimensions shown in ( ) are in mm.