


TABLE OF CONTENTS

- 3. Standards 1" diameter pulls
- 5. Tubular 1¼" & 1½" diameter pulls
- 7. NeoMetrix ™ (with GripZone™)
- 9. RightAngles™ (with or without GripZone™)
- 11. NeoTek™ (post mounted GripZone™)
- 13. MegaTek™ (long door pulls)
- 15. NeoMax™ (long pulls with GripZone™)
- 17. MegaCurve™ (long curved pulls)
- 19. MezzoTek™ with or without GripZone™
- 21. BandWidth™ (collar mount pulls)
- 23. OvalTek™ (with true oval grip)
- 25. OvalTek™ (with flat oval grip)
- 27. NeoMitre™ (with or without GripZone™)
- 29. NeoCylinder™ (with or without GripZone™)
- 31. LineaMet™ (contrasting grooved pulls)
- 33. LineaTek™ (fully grooved pulls)
- 35. LineaMax™ (long grooved pulls)
- 37. NoirMet™ (black anodized grip)
- 39. NoirTek™ (black anodized grip)
- 41. ArborMet™ (wood grip pulls)
- 43. ArborTek™ (wood grip pulls)
- 45. SoftMet™ (with Santoprene™ grip)
- 47. SoftTek™ (with Santoprene™ grip)
- 49. SkewTek™ (angled end pulls & big pulls)
- 51. CenTek™ (1" radius pulls)
- 53. CenTrex™ (1" radius pulls)
- 55. CenTrex™ (large radius pulls)
- 57. GeoMetek™ (narrow profile pulls)
- 59. PlanTek™ (flat front pulls)
- 61. SculpTrex™ (shaped cast pulls)
- 63. SculpTrex™ (shaped cast pulls)
- 65. Traditional (decorative pulls & plates)
- 67. Classic (finial door pulls)
- 68. Edge Pulls (for closet doors)
- 69. Small Pulls (for cabinets, casework and closet doors)
- 70. Small PostMount Pulls (for cabinets, casework and closet doors)
- 72. Coat Hooks
- 74 Door Stops
- 75. Push Plates, Pull Plates & Signage
- 76. Custom Pivots
- 77. Custom Capabilities
- 78. Leather Craftsmanship General Information
- 79. Leather Craftsmanship
- 81. English Bridle Leather (straight & offset pulls)
- 83. Upholstery Leather (straight & offset pulls)
- 85. Flush Leather (straight & offset pulls)
- 87. Leather Oval (ergonomic pulls)
- 88. Small Leather Pulls (for cabinets, casework and closet doors)
- 89. Custom Leather Applications

Copyright notices throughout the catalog refer to the proprietary designs on noted pages – all rights reserved



Rockwood Manufacturing Company, founded in 1946 by the Gurzenda Family in rural southwestern Pennsylvania, focuses on the design and manufacture of quality builders' hardware for commercial, institutional and finer residential buildings. Now in the third generation of skilled craftsman, we continue to develop new products and processes that improve our offering. Strict attention to detail from the selection of top-grade materials to the application of the finest finishes results in a tough, yet handsome product of the highest caliber.

In 2008 Rockwood Manufacturing Company was purchased by ASSA ABLOY, the global leader in door opening solutions. This greatly expanded design and development capabilities and expanded the product offering to customers. This offering includes many coordinating products with other ASSA ABLOY Group companies through the Good Design Studio.



LEED Statement: When you select a Rockwood stainless steel door pull for your LEED certified building project you are using a product that is made from a minimum 75% post industrial waste and is 100% recyclable. Additionally these pulls can usually be refinished to their original appearance any time in the life of the building, eliminating the need for replacement when a renovation is conducted.

Finishes: Most products shown in our catalog are available in a wide variety of finishes. The photographs generally show only one finish for aesthetic reasons, but we make all traditional architectural finishes. The base metal from which we produce each product is indicated throughout the catalog and dictates what finishes are available.

Stainless Steel is one of the most durable materials used in architecture. However, there are many types of stainless steel with different properties and varying levels of corrosion resistance. In most indoor (except chlorine and other harsh chemical exposure locations) and many outdoor (mildly corrosive) environments our standard type 303/304 stainless steel will perform exceedingly well. It is best maintained with periodic water washing. If your job site has road salt, marine salt air, industrial or urban pollution, we recommend the use of molybdenum bearing 316 alloy stainless steel which is available on select products.


Molybdenum significantly improves corrosion resistance, particularly resistance to salt corrosion. For more information see the International Molybdenum Association web site www.imoa.info. Specify our US32316 or US32D316 for the very best performance.

In addition to stainless steel alloy selection, the surface finish of stainless steel has a big impact on its corrosion resistance. Minute particles of dirt and debris can lodge in the microscopic crevices of a satin finish (US32D/630) more readily than on a smooth surface (US32/629) therefore promoting corrosion. To enhance the corrosion resistance of any stainless steel, specify the polished version over the satin finish.

Fastening Systems: Three basic fastening systems are shown below. Most pulls are available in any of these three configurations. A specific bolt diameter and length will be provided for your particular application. The important aspect of a fastening system is that it attaches the pull solidly to the door and does not allow "play" between the pull and the door.

Our mounting systems firmly attach the pull and we guarantee the security of our back to back and thru bolt mounted products for the life of the door.

Standard Mounting Details



Single Thru Bolt Single Concealed Pair Back to Back

orger "foot print" of a base plate lass and wood door mounted

Optional base plates are an aesthetic and functional addition to most door pulls. The larger "foot print" of a base plate makes for added stability for the fastening system which is particularly important on glass and wood door mounted pulls. To add a base plate to any pull, suffix the product number with "Y" (example: RM3301Y); a base plate slightly larger than the pull diameter will provided.

Custom Manufacturing: Design your own hardware! Whether it is a modification of a standard product or a completely unique design, we will quote your design and offer suggestions for best mounting applications. We take special pride in our custom products. For more information, please contact our sales staff.

ASSA ABLOY



The global leader in door opening solutions

These one inch diameter push and pulls are the industry standard for contemporary design. Our offset pulls come with a 2½" clearance for enhanced ADA compliance. Use two or three push bars on a door as an attractive design element and increased usability for people of all heights.

Standards

1" diameter pulls



Straight Pulls

Pull No.	СТС
110	8"
111A	9"
111	10"
112	12"
118	18"



90° Offset Pulls

Pull No.	CTC
BF156	8"
BF157A	9"
BF157	10"
BF158	12"
BF159	18"



45° Offset Pulls

Pull No.	СТС
BF166	8"
BF167A	9"
BF167	10"
BF168	12"
BF169	18"





Push Bars (shown with optional base plate)*

Pull No.	Pull CTC	Base Plate
47	Specify	No
BP47	Specify	Yes




Single Projection Push Bar

Pull No.	СТС
SP47	Specify



Straight Push Pull Sets*

Pull No.	Pull CTC	Bar CTC	
11047	8"	Specify	
111A47	9"	Specify	
11147	10"	Specify	
11247	12"	Specify	



Offset Push Pull Sets*

Pull No.	Pull CTC	Bar CTC
BF15647	8"	Specify
BF157A47	9"	Specify
BF15747	10"	Specify
BF15847	12"	Specify

Base Metals: Aluminum, brass, bronze, stainless steel Note: Phantom lines depict optional multi-bar sets.





Our 11/4" and 11/2" diameter tubular pulls and pushes are made from rugged 16-gauge wall tubing with solid brass end inserts. These large diameter pulls provide a greater door contact area (11/4" pulls have 60% larger and 11/2" pulls have 125% larger mounting area) than 1" pulls, which ensures the fastening system will provide a tight, permanent installation. Our RM257 series is made from solid 11/4" rod and its 30° angle cut provides a mounting footprint 80% larger than 1" pulls.


Tubular


11/4" & 11/2" diameter pulls



Straight Pulls

Pull No.	Diameter	CTC
RM301	11/4"	12"
RM302	11/4"	18"
RM303	11/4"	24"
RM304	11/4"	36"
RM321	11/2"	12"
RM322	11/2"	18"
RM323	11/2"	24"
RM324	11/2"	36"





Angle Pulls - Solid

Pull No.	Diameter	CTC
RM257	11/4"	10"
RM258	11/4"	12"
RM259	11/4"	18"



Straight Push Pull Sets*

Pull No.	Diameter	Pull CTC	Bar CTC
RM351	11/4"	12"	Specify
RM352	11/4"	18"	Specify
RM371	11/2"	12"	Specify
RM372	11/2"	18"	Specify




Offset Pulls

Pull No.	Diameter	СТС
RM201	11/4"	12"
RM202	11/4"	18"
RM203	11/4"	24"
RM204	11/4"	36"
RM221	11/2"	12"
RM222	11/2"	18"
RM223	11/2"	24"
RM224	11/2"	36"



Push Bars*

Pull No.	Diameter	СТС
RM350	11/4"	Specify
RM370	11/2"	Specify



Offset Push Pull Sets*

Pull No.	Diameter	Pull CTC	Bar CTC
RM251	11/4"	12"	Specify
RM252	11/4"	18"	Specify
RM271	11/2"	12"	Specify
RM272	11/2"	18"	Specify



Base Metals: Aluminum, brass, bronze, stainless steel Note: Phantom lines depict optional multi-bar sets.



The NeoMetrix line features GripZone — a satin finished grip area contrasting to the bright mirror finish at the ends. Not only visually appealing, this winning design is practical as well. The satin finish contact area hides small marks and scratches caused by rings, jewelry, and keys. On push bars, the GripZone identifies which side of the door swings open.


$NeoMetrix^{\text{\tiny M}}$

with GripZone™



Straight Pulls

Pull No.	Diameter	CTC
RM3010	1"	12", 18"
RM3020	11/4"	12", 18", 24"
RM3030	11/2"	12", 18", 24"



Offset Pulls

Pull No.	Diameter	CTC
RM3040	1"	12", 18"
RM3050	11/4"	12", 18", 24"
RM3060	11/5"	12" 18" 24"









Push Bars*

Pull No.	Diameter	СТС
RM3012	1"	Specify
RM3022	11/4"	Specify
RM3032	11/2"	Specify



Pull No.	Diameter	Pull CTC	Bar CTC
RM3045	1"	12"	Specify
RM3055	11/4"	12"	Specify
RM3065	11/2"	12"	Specify



Straight Push Pull Sets*


Pull No.	Diameter	Pull CTC	Bar CTC
RM3015	1"	12"	Specify
RM3025	11/4"	12"	Specify
RM3035	11/2"	12"	Specify

Base Metals: Brass, bronze, stainless steel
Note: Phantom lines depict optional multi-bar sets.




These right angle push and pulls offer a solution to matching glass door exit devices as well as being a design statement of their own. The extra gripping area provided by the horizontal and vertical sections make it a universally usable pull and push bar. Standard diameter is 11/4"; other diameters are available.

RightAngles™with or without GripZone™




Angle Pull

Pull No.	СТС
RM405-15	15"




Short Angle Push Pulls

Pull No.	СТС
RM410 (leg up)	Specify Height x Width
RM411 (leg down)	Specify Height x Width




Long Angle Push Pulls

Pull No.	СТС
RM412 (leg up)	Specify Height x Width
RM413 (leg down)	Specify Height x Width




Angle Pull with GripZone

Pull No.	СТС
RM415-15	15"



Short Angle Push Pulls with GripZone

Pull No.	СТС
RM420 (leg up)	Specify Height x Width
RM421 (leg down)	Specify Height x Width




Long Angle Push Pulls with GripZone

Pull No.	СТС
RM422 (leg up)	Specify Height x Width
RM423 (leg down)	Specify Height x Width



Application Suggestion



ASSA ABLOY



NeoTek post mounted door pulls and push bars meld the durable and attractive GripZone finish with a contemporary post mounted style. Both straight and offset pulls in square and round end versions are available in three diameters. Custom lengths are readily available.

NeoTekTM

post mounted GripZone™



Straight Pulls - Flat Ends

Pull No.	Diameter	OA
RM3200	1"	up to 96"
RM3210	11/4"	up to 96"
RM3220	11/5"	up to 96"



Pull No.	Diameter	OA
RM3230	1"	up to 96"
RM3240	11/4"	up to 96"
RM3250	11/2"	up to 96"





Straight Pulls - Round Ends

Pull No.	Diameter	OA
RM3204	1"	up to 96"
RM3214	11/4"	up to 96"
RM3224	11/5"	un to 96"



Pull No.	Diameter	OA
RM3243	1"	up to 96"
RM3244	11/4"	up to 96"
RM3254	11/2"	up to 96"



Push Bars - Flat Ends

Pull No.	Diameter	OA
RM3202	1"	up to 36"
RM3212	11/4"	up to 36"
RM3222	11/5"	up to 36"




Push Bars - Round Ends

Pull No.	Diameter	OA	
RM3206	1"	up to 36"	
RM3216	11/4"	up to 36"	
RM3226	11/2"	up to 36"	

Base Metals: Brass, bronze, stainless steel

Note: See price list for information on ordering push pull sets.



Post mounted pulls are beautiful, clean designs for all door types. Offset mounting bases allow this group to be used on narrow style doors. Square and round end versions are available as well as custom lengths. The simplicity of this group is an attribute that adds contemporary beauty to even standard entrance doors.

Specify a mid-post on full height pulls to provide the most rigid grip where heavy doors or high wind loads are present.



Straight Pulls - Flat Ends

Pull No.	Diameter	OA
RM3300	1"	up to 96"
RM3301	11/4"	up to 96"
RM3302	11/2"	up to 96"




Straight Pulls - Round Ends

Pull No.	Diameter	OA
RM3320	1"	up to 96"
RM3321	11/4"	up to 96"
RM3322	11/2"	up to 96"




Straight Pulls - Bent Ends

Pull No.	Diameter	OA
RM3340	1"	up to 96"
RM3341	11/4"	up to 96"
RM3342	11/2"	up to 96"



Offset Pulls - Flat Ends

Pull No.	Diameter	OA
RM3310	1"	up to 96"
RM3311	11/4"	up to 96"
RM3312	11/2"	up to 96"



Offset Pulls - Round Ends

Pull No.	Diameter	OA
RM3330	1"	up to 96"
RM3331	11/4"	up to 96"
RM3332	11/2"	up to 96"



Push Bars - Square Ends*

Pull No.	Diameter	СТС	
RM3102	1"	Specify	
RM3112	11/4"	Specify	
RM3122	11/2"	Specify	










Push Bars - Round Ends*

Pull No.	Diameter	СТС
RM3106	1"	Specify
RM3116	11/4"	Specify
RM3126	11/2"	Specify

Base Metals: Aluminum (except offset models), brass, bronze, stainless steel

Options: • For optional mid-post, suffix the product number with "MP" (example: RM3301MP).






The beauty of long door pulls is enhanced with the contrasting finish of our NeoMax line. This smart, visually appealing GripZone design makes a welcome addition to any door. Any length may be made to order from 3 feet to over 8 feet long; see price list for more information. Specify a mid-post on full height pulls to provide the most rigid grip where heavy doors or high wind loads are present.


NeoMax™

long pulls with GripZone™




Straight Pulls - Flat Ends

Pull No.	Diameter	OA
RM3400	1"	up to 96"
RM3401	11/4"	up to 96"
RM3402	11/2"	up to 96"




Straight Pulls - Round Ends

Pull No.	Diameter	OA
RM3420	1"	up to 96"
RM3421	11/4"	up to 96"
RM3422	11/2"	up to 96"




Straight Pulls - Bent Ends

Pull No.	Diameter	OA	
RM3440	1"	up to 96"	-
RM3441	11/4"	up to 96"	
RM3442	1 ¹ / ₂ "	up to 96"	



Offset Pulls - Flat Ends


Pull No.	Diameter	OA
RM3410	1"	up to 96"
RM3411	11/4"	up to 96"
RM3412	11/2"	up to 96"




Offset Pulls - Round Ends

Pull No.	Diameter	OA
RM3430	1"	up to 96"
RM3431	11/4"	up to 96"
RM3432	11/2"	up to 96"












Base Metals: Brass, bronze, stainless steel

Options: • For optional mid-post, suffix the product number with "MP" (example: RM3401MP).




Ever since the discovery of calculus by Sir Isaac Newton and Gottfried Leibniz in the 17th century, man has been fascinated with the building of precise curved surfaces. We are eager to build the curved pull you envision. Select from the standard shapes shown here in 11/4" diameter or send a drawing of your own.

MegaCurve[™] long curved pulls






Pull No.	End	Diameter	CTC
RM2000	Square	11/4"	72" to 96"
RM2004	Round	11/4"	72" to 96"




Long Bow Pulls

Pull No.	End	Diameter	CTC
RM2010	Square	11/4"	72" to 96'
RM2014	Round	11/4"	72" to 96'



45 Degree Pulls


Pull No.	End	Diameter	CTC
RM2020	Square	11/4"	72" to 96"
RM2024	Round	11/4"	72" to 96"





Triangle Pulls


Pull No.	End	Diameter	CTC
RM2030	Square	11/4"	72" to 96'
RM2034	Round	11/4"	72" to 96'

Application Suggestions










Base Metals: Brass, bronze, stainless steel Options: Over 96" available on select finishes.






MezzoTek pulls appear to float on necked posts yet are made with unique sturdy construction. Available in most architectural finishes in 1½" and 1½" diameter pulls and push bars. Full height pulls are available as well. Our popular GripZone contrasting finish is available as shown in the drawings and detail photograph.



Straight Pulls

Pull No.	Diameter	OA
RM2110	11/4"	up to 96"
RM2120	11/2"	up to 96"

Up to 96" CTC available.




Straight Pulls

Pull No.	Diameter	OA	
RM2130	11/4"	up to 96"	
RM2140	11/2"	up to 96"	

Up to 96" CTC available.




with or without GripZone™



Push Bars*


Pull No.	Diameter	OA
RM2112	11/4"	up to 36"
RM2122	11/2"	up to 36"



Push Bars*

Pull No.	Diameter	OA
RM2132	11/4"	up to 36"
RM2142	11/2"	up to 36"







Double Stepped Post Straight Pull


Pull No.	Diameter	CTC
RM2150	1"	8". 11". 16"

Up to 96" CTC available.

Application Suggestions








Base Metals: Brass, bronze, stainless steel

Options: • For optional mid-post, suffix the product number with "MP" (example: RM2120MP).




BandWidth design features a collar that attaches the grip section to the mounting posts. The collar can be furnished in a matching finish and base metal, or any combination of contrasting finishes of similar or dissimilar metals. Black anodized aluminum grips create a visual effect similar to our NoirMet pulls. The detail photo shows an un-lacquered bronze grip that provides the rich copper color and patina potential associated with copper alloys. Round end versions add an extra element of interest.




Straight Pulls - Flat Ends

Pull No.	Diameter	OA
RM2200	1"	up to 96"
RM2210	11/4"	up to 96"



Straight Pulls - Round Ends

Pull No.	Diameter	OA
RM2204	1"	up to 96"
RM2214	11/4"	up to 96"




Wood Pulls - Collar Mount Posts Straight Pulls - Flat Ends

Pull No.	Diameter	СТС
RM4160	1"	up to 46"
RM4170	11/4"	up to 46"
up to 48" O	verall	



Push Bars - Round Ends

Pull No.	Diameter	CTC
RM2206	1"	up to 36"
RM2216	11/4"	up to 36"




BandWidth™

collar mount pulls




Pull No.	Diameter	CTC
RM2230	1"	up to 96"
RM2240	11/4"	up to 96"



Offset Pulls - Round Ends

Pull No.	Diameter	CTC
RM2234	1"	up to 96"
RM2244	11/4"	up to 96"



Wood Pulls - Collar Mount Posts Offset Pulls - Flat Ends

Pull No.	Diameter	СТС
RM4180	1"	up to 46"
RM4190	11/4"	up to 46"
up to 48" O	verall	





Push Bars - Flat Ends

Pull No.	Diameter	СТС
RM2202	1"	up to 36"
RM2212	11/4"	up to 36"



Application Suggestions





Other Length Ordering Options


Full length BandWidth pulls are available in both straight and offset versions from 3 feet to over 8 feet long.

Base Metals: Aluminum (grip only), brass, bronze, stainless steel

Options: • For optional mid-post, suffix the product number with "MP" (example: RM2210MP).

• Over 96" available on select finishes.

ASSA ABLOY



The grip of our oval shape conforms to the natural contour of one's hand, defining the standard in comfort for the user. The design is complimented by the oval shaped mounting posts. The pulls are available in regular and full height lengths. The push bar features oval tubing practically positioned to expose the broad pushing surface. Available in two cross section sizes, the oval pulls and push bars are the most ergonomically correct door hardware.



Straight Oval Pulls

Pull No.	Size	CTC	
RM2300	1" x 1 ¹ / ₂ "	8", 11", 16"	
RM2310	1" x 1 ⁷ /8"	11", 16", 20"	

Up to 96" CTC available.



Push Bars


Pull No.	Size	СТС	
RM2302	1" x 1½"	Specify	
RM2312	1" x 1 ⁷ / ₈ "	Specify	


OvalTek™


with true oval grip



Application Suggestions










Base Metal: Stainless steel

Options: • For optional mid-post, suffix the product number with "MP" (example: RM2310MP).



The comfortable and attractive $\frac{3}{4}$ " x $\frac{1}{2}$ " flat oval shape is available with three styles of mounting posts and in full-length versions. This sturdy, sleek shape creates a beautiful pull and is available with a leather cover shown on page 95. Flat oval combines the ergonomics of the true oval with the trim lines of rectangular tubing.


OvalTek™ with flat oval grip



Straight Pull - ¾" Round Post

Pull No.	Size	CTC
RM2400	3/4" x 11/2"	8", 11", 16"


Up to 96" CTC available.



Straight Pull - Oblong Post

Pull No.	Size	СТС
RM2420	3/4" x 11/2"	8". 11". 16"


Up to 96" CTC available.



Straight Pull - 1" Round Post

Pull No.	Size	CTC	
RM2410	3/4" x 11/2"	8". 11". 16"	

Up to 96" CTC available.





Push Bar


Pull No.	Size	CTC
RM2402	3/4" x 11/2"	Specify



Application Suggestions










Base Metal: Stainless steel

Options: • For optional mid-post, suffix the product number with "MP" (example: RM2420MP).



Rockwood mitre pulls are fabricated by a precise process that accomplishes the joint without any sign of welding residue. The GripZone feature of NeoMitre adds appeal to the design. Beyond providing an attractive contrast, the satin finish contact area conceals small scratches caused by routine use. Available in three diameters and custom lengths.

NeoMitre™

with or without GripZone™



Straight Pulls

Pull No.	Diameter	CTC
RM7300	1"	8", 11", 16"
RM7310	11/4"	11", 16", 20"
RM7320	11/2"	11", 16", 20"


Up to 36" CTC available.



Offset Pulls

Pull No.	Diameter	СТС
RM7330	1"	8", 11", 16"
RM7340	11/4"	11", 16", 20"
RM7350	11/2"	11", 16", 20"

Up to 36" CTC available.



Push Bars*


Pull No.	Diameter	СТС
RM7302	1"	Specify
RM7312	11/4"	Specify
RM7322	11/2"	Specify



Straight Pulls

Pull No.	Diameter	СТС
RM7400	1"	8", 11", 16"
RM7410	11/4"	11", 16", 20"
RM7420	11/2"	11", 16", 20"

Up to 36" CTC available.



Offset Pulls

Pull No.	Diameter	СТС
RM7430	1"	8", 11", 16"
RM7440	11/4"	11", 16", 20"
RM7450	11/5"	11" 16" 20"

Up to 36" CTC available.





Push Bars*

Pull No.	Diameter	СТС
RM7402	1"	Specify
RM7412	11/4"	Specify
RM7422	11/2"	Specify




Application Suggestions





Base Metal: Stainless steel



The fresh design of our Cylinder Pull is available in straight and offset versions. The 1¼" tubing blends seamlessly into the terminating flat end posts. NeoCylinder Pulls are available with our popular GripZone finish.


NeoCylinder™ with or without GripZone™


11", 16", 20"



Straight Pull

Pull No.	Diameter	CTC
RM7210	11/4"	11". 16". 20"






Offset Pull

Pull No.	Diameter	CTC	
RM7220	11/4"	11", 16", 20"	

Up to 36" CTC available.



Straight Pull Pull No.

RM7230

Diameter

11/4"

Up to 36" CTC available.

Offset Pull

Pull No.	Diameter	СТС
RM7240	11/4"	11", 16", 20"

Up to 36" CTC available.



Ш

Push Bar

Pull No.	Diameter	CTC
RM7212	11/4"	Specify



Push Bar

Pull No.	Diameter	СТС	
RM7232	11/4"	Specify	



The Rockwood LineaMet design group utilizes grooved materials in an unmatched contemporary fashion. Precisely fitted joints make a smooth transition between the solid ends and the grooved tubing. Available in two diameters and a variety of lengths and finishes.

LineaMet™


contrasting grooved pulls





Straight Pulls - Square Ends

Pull No.	Diameter	СТС
RM3510	11/4"	8", 11", 16"
RM3520	11/2"	11". 16". 20"



Offset Pulls - Square Ends

Pull No.	Diameter	СТС
RM3540	11/4"	8", 11", 16"
RM3550	11/2"	11", 16", 20"





Straight Pulls - Round Ends

Pull No.	Diameter	СТС
RM3514	11/4"	8", 11", 16"
RM3524	11/2"	11", 16", 20"



Offset Pulls - Round Ends

Pull No.	Diameter	СТС
RM3544	11/4"	8", 11", 16"
RM3554	11/2"	11", 16", 20"




Push Bars - Square Ends*

Pull No.	Diameter	СТС
RM3512	11/4"	Specify
RM3522	11/2"	Specify



Push Bars - Round Ends*

Pull No.	Diameter	СТС
RM3516	11/4"	Specify
RM3526	11/2"	Specify



Base Metals: Brass, bronze, stainless steel

Note: See price list for information on ordering push pull sets.






LineaTek pulls feature grooved tubular material that differentiates these pulls from all others on the market. The material is similar to fluted tubing but with a streamlined defined surface. These post mount pulls and push bars make a smart contemporary statement.

LineaTek™ fully grooved pulls







Straight Pulls - Square Ends

Pull No.	Diameter	CTC
RM3610	11/4"	8", 11", 16"
RM3620	11/2"	11". 16". 20"

Offset Pulls - Square Ends

Pull No.	Diameter	CIC
RM3640	11/4"	8", 11", 16"
RM3650	11/2"	11", 16", 20"





Straight Pulls - Round Ends

Pull No.	Diameter	СТС
RM3614	11/4"	8", 11", 16"
DW3634	11/5"	11" 16" 20"



Pull No.	Diameter	СТС
RM3644	11/4"	8", 11", 16"
RM3654	11/2"	11", 16", 20"




Push Bars - Square Ends*

Pull No.	Diameter	СТС
RM3612	11/4"	Specify
RM3622	11/2"	Specify



Push Bars- Round Ends*

Pull No.	Diameter	стс	
RM3616	11/4"	Specify	
RM3626	11/5"	Specify	



Base Metals: Brass, bronze, stainless steel

Note: See price list for information on ordering push pull sets.






The crisp appearance of LineaMax creates a beautiful long door pull. Two post mounted styles — one with solid smooth ends and the other fully grooved are available in both straight and offset versions with any length required.

LineaMax™

long grooved pulls




Straight Pulls - Square Ends

Pull No.	Diameter	СТС
RM3701	11/4"	36" to 96"
RM3702	11/2"	36" to 96"

Offset Pulls - Square Ends

Pull No.	Diameter	стс
RM3711	11/4"	36" to 96"
RM3712	11/2"	36" to 96"




Straight Pulls - Square Ends

Pull No.	Diameter	СТС
RM3721	11/4"	36" to 96"
RM3722	11/2"	36" to 96"

Offset Pulls - Square Ends

Pull No.	Diameter	CTC
RM3731	11/4"	36" to 96"
RM3732	11/2"	36" to 96"




Straight Pulls - Round Ends

Pull No.	Diameter	CTC
RM3751	11/4"	36" to 96"
RM3752	11/2"	36" to 96"

Offset Pulls - Round Ends

Pull No.	Diameter	CTC
RM3761	11/4"	36" to 96"
RM3762	11/2"	36" to 96"



Straight Pulls - Round Ends


Pull No.	Diameter	СТС
RM3771	11/4"	36" to 96'
RM3772	11/2"	36" to 96'


Offset Pulls - Round Ends


Pull No.	Diameter	СТС
RM3781	11/4"	36" to 96"
RM3782	11/2"	36" to 96"



Application Suggestions







ASSA ABLOY

The global leader in door opening solutions

Options: • For optional mid-post, suffix the product number with "MP" (example: RM3721MP).

• Over 96" available on select finishes.



The becoming subtle luster of the satin black hard coat anodized aluminum grip forms a striking contrast to the selected finish of the end sections. We show mirror polished stainless steel, but many alternative finishes are available. This compelling design is also practical due to its durability and high visibility. Available in three diameters and a variety of lengths.

NoirMet™

black anodized grip



Straight Pulls - Square Ends

Pull No.	Diameter	СТС
RM3800	1"	8", 10", 12"
RM3810	11/4"	8", 11", 16"
RM3820	11/2"	11". 16". 20"

Up to 36" CTC available.



Straight Pulls - Round Ends


Pull No.	Diameter	CTC
RM3804	1"	8", 10", 12"
RM3814	11/4"	8", 11", 16"
RM3824	11/2"	11". 16". 20"

Up to 36" CTC available.



Push Bars - Square Ends*


Pull No.	Diameter	СТС
RM3802	1"	Specify
RM3812	11/4"	Specify
RM3822	11/5"	Specify



Offset Pulls - Square Ends

Pull No.	Diameter	СТС
RM3830	1"	8", 10", 12"
RM3840	11/4"	8", 11", 16"
RM3850	11/2"	11", 16", 20"

Up to 36" CTC available.



Offset Pulls - Round Ends


Pull No.	Diameter	CTC	
RM3834	1"	8", 10", 12"	
RM3844	11/4"	8", 11", 16"	
RM3854	11/2"	11", 16", 20"	

Up to 36" CTC available.



Push Bars - Round Ends*

Pull No.	Diameter	CTC
RM3806	1"	Specify
RM3816	11/4"	Specify
RM3826	11/2"	Specify







NoirTek pulls stand out on light colored entrances for a quick identity and bold statement. The durable black hard coat anodized grips compliment many design schemes and are an appealing finish on their own. Choose from an array of contrasting finishes for the mounting posts. Available in three diameters and a variety of lengths.

NoirTek™

black anodized grip



Straight Pulls - Square Ends

Pull No.	Diameter	СТС
RM3900	1"	8", 10", 12"
RM3910	11/4"	8", 11", 16"
RM3920	1 ¹ /2"	11", 16", 20"



Straight Pulls - Round Ends

Pull No.	Diameter	СТС	
RM3904	1"	8", 10", 12"	
RM3914	11/4"	8", 11", 16"	
RM3924	11/2"	11", 16", 20"	




Push Bars - Square Ends*

Pull No.	Diameter	стс
RM3902	1"	Specify
RM3912	11/4"	Specify
RM3922	11/2"	Specify



Offset Pulls - Square Ends

Pull No.	Diameter	CTC	
RM3930	1"	8", 10", 12"	
RM3940	11/4"	8", 11", 16"	
RM3950	1 ¹ / ₂ "	11", 16", 20"	




Offset Pulls - Round Ends

Pull No.	Diameter	CTC
RM3934	1"	8", 10", 12"
RM3944	11/4"	8", 11", 16"
RM3954	11/2"	11", 16", 20"



Push Bars - Round Ends*

Pull No.	Diameter	
CTC		
RM3906	1"	Specify
RM3916	11/4"	Specify
RM3926	11/2"	Specify







The ArborMet group combines the alluring warmth of wood with the unrivaled strength of solid brass and stainless steel. The gripping surface actually feels warmer to the touch than metal based pulls. A variety of natural wood species is available on special order; please contact the factory with your requirement.

ArborMet[™] wood grip pulls





Straight Pulls - Square Ends

Pull No.	Diameter	CTC	
RM4000	1"	8", 10", 12"	
RM4010	11/4"	8", 11", 16"	
RM4020	11/2"	11", 16", 20"	

Up to 96" CTC available with mid-post.

Offset Pulls - Square Ends

Pull No.	Diameter	CTC	
RM4030	1"	8", 10", 12"	
RM4040	11/4"	8", 11", 16"	
RM4050	11/2"	11", 16", 20"	

Up to 96" CTC available with mid-post.





Pull No.	Diameter	СТС	
RM4004	1"	8", 10", 12"	
RM4014	11/4"	8", 11", 16"	
RM4024	11/2"	11", 16", 20"	

Up to 96" CTC available with mid-post.


Œ			
Ų	J	U	
	_	_	


Offset Pulls - Round Ends

Pull No.	Diameter	СТС
RM4034	1"	8", 10", 12"
RM4044	11/4"	8", 11", 16"
RM4054	11/2"	11", 16", 20"

Up to 96" CTC available with mid-post.







Push Bars - Square Ends*

Pull No.	Diameter	СТС
RM4002	1"	Specify
RM4012	11/4"	Specify
RM4022	11/2"	Specify

Push Bars - Round Ends*

Pull No.	Diameter	СТС
RM4006	1"	Specify
RM4016	11/4"	Specify
RM4026	11/2"	Specify

Over 48" requires a mid-post

Base Metals: Brass, bronze, stainless steel


Note: See price list for information on ordering push pull sets.



ArborTek pulls and push bars are offered in a variety of wood species including some exotics to compliment an elegant entrance. Just as in nature, each has it unique markings and tone. Solid brass and stainless steel mounting posts provide attachment strength and a simple contrast. Available in three diameters and a variety of lengths.

ArborTek™

wood grip pulls





Pull No.	Diameter	СТС
RM4130	1"	8", 10", 12"
RM4140	11/4"	8", 11", 16"
RM4150	11/2"	11". 16". 20"

Up to 48" overall available.



Up to 48" overall available.

Straight Pulls - Square Pulls

1"

11/4"

11/2"

Diameter

CTC

8", 10", 12"

8", 11", 16"

11", 16", 20"



Pull No.

RM4100

RM4110

RM4120

Straight Pulls - Round Ends

Pull No.	Diameter	CTC
RM4104	1"	8", 10", 12"
RM4114	11/4"	8", 11", 16"
RM4124	11/2"	11". 16". 20"

Up to 48" overall available.

Push Bars - Square Ends*

Diameter


11/4"

11/2"

CTC

Specify

Specify



Offset Pulls - Round Ends


Pull No.	Diameter	CTC
RM4134	1"	8", 10", 12"
RM4144	11/4"	8", 11", 16"
RM4154	11/2"	11". 16". 20"

Up to 48" overall available.



Push Bars - Round Ends*

Pull No.	Diameter	CTC
RM4116	11/4"	Specify
RM4126	11/2"	Specify




Wood Pulls - Collar Mount Posts Offset Pulls - Square Ends

Pull No.	Diameter	СТС
RM4180	1"	Up to 46"
RM4190	11/4"	Up to 46"
Un to 48" C	verall	

Base Metals: Brass, bronze, stainless steel Note: See price list for information on ordering push pull sets.







Pull No.

RM4112

RM4122

Wood Pulls - Collar Mount Posts Straight Pulls - Square Ends

Pull No.	Diameter	СТС
RM4160	1"	Up to 46"
RM4170	11/4"	Up to 46"
Up to 48" Overall		



The SoftMet pulls feature durable weather resistant black 1¼" diameter Santoprene™ grips sandwiched between metal fittings. Santoprene™ is a high performance engineered thermoplastic elastomer used for many consumer goods grip applications. The comfortable feel of this material is widely proven; even on cold exterior applications. Straight and offset pulls as well as push bars are available in all architectural finishes.

SoftMet™

with Santoprene™ grip



Straight Pull - Square End

Pull No.	Diameter	СТС
RM2510	11/4"	8", 11", 16"


Up to 96" OA available with mid-post.



Straight Pull - Round End

Pull No.	Diameter	СТС
RM2514	11/4"	8" 11" 16"


Up to 96" OA available with mid-post.



Offset Pull - Square End

Pull No.	Diameter	СТС
RM2540	11/4"	8", 11", 16"

Up to 96" OA available with mid-post.



Offset Pull - Round End

Pull No.	Diameter	СТС
RM2544	11/4"	8". 11". 16"

Up to 96" OA available with mid-post.





Push Bar - Square End*

Pull No.	Diameter	СТС
RM2512	1 ¹ / ₄ "	Specify




Push Bar - Round End*

Pull No.	Diameter	СТС	
RM2516	11/4"	Specify	

Base Metals: Brass, bronze, stainless steel
Santoprene™ is a trademark of Santoprene™ Specialty Products





The SoftTek pulls feature a durable weather resistant black 1¼" diameter Santoprene™ grip that provides a soft, warm feeling gripping surface. They are suitable for both interior and exterior applications. These grips are comfortable to touch even in cold temperature extremes. Available in straight and offset pulls and push bars in all architectural finishes.


SoftTek™with Santoprene™ grip



Straight Pull

Pull No.	Diameter	СТС
RM2610	11/4"	8" 11" 16"

Up to 36" CTC available.



Offset Pull

Pull No.	Diameter	СТС	
RM2640	11/4"	8". 11". 16"	

Up to 36" CTC available.









Pull No.	Diameter	CTC
RM2612	11/4"	Specify




Application Suggestions





Base Metals: Brass, bronze, stainless steel



Thirty-degree end cuts on 1½" diameter tubular pulls generate an interesting design element that distinguishes these pulls from the ordinary. We formulate many modifications to these basic designs. Because these are made to order, we can accomplish variations to suit your particular whim. Larger 2" diameter pulls with square ends are perfect for extra large entrances.

SkewTek™


angled end pulls & big pulls



Straight Pull

Pull No.	Diameter	CTC
RM4200	11/2"	11"


Up to 96" CTC available.



Straight Pulls - Rectangle Post

Pull No.	Diameter	CTC	
RM4270-12	2"	12"	
RM4270-24	2"	24"	


Up to 96" CTC available.



Straight Pulls - Round Post

Pull No.	Diameter	СТС
RM4274-12	2"	12"
RM4274-24	2"	24"


Up to 96" CTC available.



Offset Pulls

Pull No.	Diameter	CTC	
RM4210LH*	11/2"	11"	
RM4210RH*	11/2"	11"	


Up to 96" CTC available.





Offset Pulls - Rectangle Post

Pull No.	Diameter	CTC
RM4272-12	2"	12"
RM4272-24	2"	24"

Up to 96" CTC available.









Base Metals: Aluminum, brass, bronze, stainless steel (select products - see price list for availability) Options: Over 96" available on select finishes.

^{*} Handing illustrated for PULL side of door



The CenTek Series is a collection of 1" diameter pulls for entry doors. The shapes create an attractive symmetry at an entrance and will work in conjunction with standard 1" diameter push bars. Custom center to center and diameters are available.





CenTrex Door Pulls and Push Bars are gracefully curved 1" diameter solid rods that provide a subtly distinctive look to any door. The shapes are sleek and comfortable to grasp. Combine pulls with bars to make a unique set.

CenTrex™

1" radius pulls



Curved Pulls

Pull No.	СТС	
RM4400-12	12"	
RM4400-20	20"	



Double Curved Pulls

Pull No.	CTC
RM4402LH*	12"
RM4402RH*	12"







Straight Pull

Pull No.	СТС
RM4410	12" 18" 24"




Offset Pull

Pull No.	CTC
RM4412	12", 18", 24"




Pull No.	СТС	
RM4420	9"	
RM4422	12"	






Push Bar

Pull No.	CTC
RM4440LH**	Specify




Push Bar

Pull No.	CTC
RM4440RH**	Specify



Push Bar

Pull No.	CTC
RM4450LH**	Specify



Push Bar

Pull No.	CTC
RM4450RH**	Specify

Base Metals: Aluminum, brass, bronze, stainless steel

^{*}Handing illustrated for PULL side of door.

^{**}Handing illustrated for PUSH side of door.



These CenTrex Door Pulls and Push Bars are composed of sturdy 11/4" tubes, rods or heavy castings. The smooth expanse of metal in a pair of these circular shape pulls creates an inviting focal point to an entrance. Large radius pulls provide comfortable gripping. All pulls can be used in conjunction with push bars from this or other groups. Specify the pull number x the push bar number.





Semi-Circular Pull

Pull No.	СТС
RM4500	11"



Semi-Circular Pull

Pull No.	CTC	
RM4502	11"	



Semi-Circular Pull

Pull No.	CTC
RM4506	12"



Offset Pull

Pull No.	стс
DM4E10	12"



Straight Pull

Pull No.	СТС
DM4E12	17"






Pull No.	CTC
RM4512	12"




Push Bar

Pull No.	CTC
RM4516LH*	Specify




Push Bar

Pull No.	СТС
RM4516RH*	Specify



Semi-Circular Pull

Pull No.	CTC
RM4550	12"




Semi-Circular Pull

Pull No.	CTC
RM4552	14"

Base Metals: Aluminum, brass, bronze, stainless steel (select products - see price list for availability) *Handing illustrated for PULL side of door.






These tubular square and rectangular pulls offer a narrow profile and clean lines. Two shapes in two designs allow one to scale a pull to any size opening. Custom sizes available.


GeoMetek™

narrow profile pulls



Square End Pull


Pull No.	Material	СТС	
RM7900	3/4" X 3/4"	up to 48"	
RM7940	1½" x 1½"	up to 48"	



Rectangular End Pull

RM7910

Pull No.	Material	СТС
RM7910	3/4" x 11/2"	up to 48"
RM7920	3/4" X 3/4"	up to 48"
RM7930	3/4" x 11/2"	up to 48"



^{*}RM7960 Stepped Cast Pull only available 12" CTC



Square Bridge Pull

Pull No.	Material	СТС	
RM7902	3/4" x 3/4"	up to 48"	



Rectangular Bridge Pull


Pull No.	Material	СТС
RM7912	3/4" x 11/2"	up to 48"



Base Metal: Stainless steel

Options: • For optional mid-post, suffix the product number with "MP" (example: RM7910MP)

• Over 96" available on select finishes.



The PlanTek group consists of pulls made from a range of sizes of flat and rectangular bar stock or castings. The cast pulls feature a contour area underneath the grip for a comfortable ergonomic feel. Pulls made from bar stock are available in any length to order. A large variety of bar, rod, and tubing sizes are stocked so alternative designs may be readily made.

PlanTekTM

flat front pulls





Pull No.	СТС	Width	
RM5200-7	7"	1"	
RM5200-12	12"	1"	
RM5202	12"	11/4"	



Offset Cast Pulls

Pull No.	CTC	Width
RM5204-8	8"	1"
RM5204-12	12"	1"







Radius End Pulls

Pull No.	Material	CTC	
RM5210-10	1/2" x 11/4"	10"	
RM5210-12	1/2" x 11/4"	12"	
RM5220-12	$^{3}/_{4}$ " \times $1^{1}/_{2}$ "	12"	
RM5220-18	3/4" x 11/2"	18"	



Square End Pulls

Pull No.	Material	СТС	
RM5230-10	1/2" x 11/4"	10"	
RM5230-12	1/2" x 11/4"	12"	
RM5240-12	3/4" x 11/2"	12"	
RM5240-18	3/4" x 11/5"	18"	


Bent End Pulls

Pull No.	Material	СТС	
RM5250-10	1/2" x 11/4"	10"	
RM5250-12	1/2" x 11/4"	12"	
RM5260-12	3/4" x 11/2"	12"	
DM5260 19	3/." v 11/."	10"	



Straight Cast Pull

Pull No.	Material	стс	
PM5280	1/2" v 1/2"	۵"	



Radius End Push Bars

Pull No.	Material	CTC
RM5212	1/2" x 11/4"	Specify
RM5222	3/4" x 11/2"	Specify



Square End Push Bars

Pull No.	Material	CTC
RM5232	1/2" x 11/4"	Specify
RM5242	3/4" x 11/2"	Specify




Convey a sense of sophisticated quality with a SculpTrex pull. The group consists of flowing designs in cast brass and bronze. The inviting shapes are as comfortable to the hand as they are appealing to the eye. A variety of finishes are available.

SculpTrex™ shaped cast pulls




Pull No. CTC RM5000




Pull No.	СТС
RM5002	20"






Pull No.	СТС	
PM5010	12"	



Pull No.	стс
RM5012	20"






Pull No.	CTC
RM5020LH*	20"
RM5020RH*	20"

Base Metal: Brass, bronze, white bronze *Handing illustrated for PULL side of door.




The SculpTrex group includes these graceful curved designs that feel as good as they look. Cast in brass and bronze, they are available in a variety of finishes. Please refer to the price list for further details.

SculpTrex[™] shaped cast pulls




Pull No. CTC RM5030 12"




Pull No.	стс
RM5032	20"






Pull No.	CTC	
RM5040	12"	



Pull No.	СТС	
RM5042	20"	





Pull No.	CTC
RM5050LH*	20"
DM5050DH*	20"

Base Metal: Brass, bronze, white bronze *Handing illustrated for PULL side of door.




These are cast pulls and thick metal push plates — traditional style pulls and plates, but made to commercial quality standards. Heavy gauge material and high quality castings are the basis for this group. Choose from a variety of finishes shown in our price list.











Cast Pulls

Pull No.	Base Plate	СТС
RM5500	No	6"
RM5502	Yes	6 ⁷ /8"
RM5510	No	12"
RM5512	Yes	127/9"



Pull No.	Base Plate	CTC
RM5520	No	8"
RM5522	Yes	8"



Many finishes available





Pull No.	СТС	
RM5530	5 1/2 "	
RM5532	71/2"	
RM5534	12"	



Rope Border Cast Plates

Plate No.	Size
RM5596A	3" x 12"
RM5596B	3½" x 15"



Plain Cast Plate -5/16 Thick

Plate No.	Size
RM5598B	3½" x 15"




Heavy	/ Plates -	.090"	Thick

Plate No.	Size
RM5590A	3" x 12"
RM5590B	3¹/2" x 15"
RM5590C	4" x 16"



Heavy Plates - .090" Thick

Plate No.	Size
RM5592A	3" x 12"
RM5592B	31/2" x 15"
DM5502C	1" v 16"



Heavy Plate - .090" Thick

Plate No.	Size	
RM5594R	31/5" x 15"	






Create a unique pull by combining any of the three grip styles with one of the four finial styles. Grips are available in ¾" diameter with 6" center to center and 1" diameter with 10" center to center with appropriately sized finials in all designs. Standard lengths are shown, but custom lengths are readily available. Add base plates for an extra decorative feature. These traditional styles incorporate our commercial quality mounting systems that will endure heavy traffic.

Classic

finial door pulls



Plain Grip

Pull No.	Diameter	CTC	Base Plate
RM5650	1"	10"	No
RM5660	1"	10"	Ves


Up to 36" CTC available.



Rope Grip

Pull No.	Diameter	CTC	Base Plate
RM5652	1"	10"	No
RM5662	1"	10"	Yes


Up to 36" CTC available.



Fluted Grip

Pull No.	Diameter	СТС	Base Plate
RM5654	1"	10"	No
RM5664	1"	10"	Yes

Up to 36" CTC available.



Plain Offset

Pull No.	Diameter	CTC
RM5670	1"	10"

Up to 36" CTC available.



Finial Style Number (example: RM5650-4)

Suffix	Finial Style	
1	Plain	
2	Urn	
3	Berry	
4	Pinecone	



Optional Base Plate

Diamet	er
13/4"	



The global leader in door opening solutions



Many finishes available


Specifying Information


- 1. Select style pull number 2. Suffix finial style number
- to pull number Example: RM5660-2

These practical and attractive edge pulls are made to order in our factory. The simple seamless construction is available up to 12" long. Available in most architectural finishes.

Edge Pullsfor closet doors








Edge Pulls - Square Edge Door

Pull No.	Return	Rod Size
RM751	No	Specify
RM752	Yes	Specify



Concealed Edge Pull

Pull No.	Size	
RM760	1" x 4 ¹ / ₄ "	



Edge Pulls - Bevel Edge Door


Pull No.	Return	Rod Size
RM753	No	Specify
RM754	Yes	Specify



Double Edge Pull - Square Edge

Pull No.	Rod Size
RM755	Specify

Application Suggestion




Specifying Information

- 1. Select style pull number
- 2. Select standard length: 2", 21/2", 3", 4", 5", 6", 12"
- 3. Specify door thickness
- Example: RM752-4" US32D 13/4" door

Our small pulls are made from larger diameter rod than commonly available "wire" pulls. A range of finishes and sizes is available or made to order. Our cast flush pulls are an attractive solution where protruding pulls are not desired.

Small Pulls

for cabinets, casework and closet doors





Closet Door Pulls

Pull No.	Diameter	СТС	Base Plate
RM710	3/8"	4", 5", 6"	No
RM715	3/8"	4", 5", 6"	Yes
RM720	1/2"	4", 5", 6"	No
RM725	1/2"	4", 5", 6"	Yes
RM730	5/8"	4", 5", 6"	No
RM735	5/8"	4", 5", 6"	Yes

Up to 18" CTC available.



Flush Pulls

Pull No.	Size	Opening	Depth
RM780	2 ³ / ₁₆ " x 3 ¹ / ₄ "	7/8" x 27/16"	3/4"
RM782	21 ¹ / ₁₆ " x 4 ³ / ₁₆ "	1 ⁷ /16" x 3 ¹ /2"	3/4"
RM785	3½" dia.	25/8" x 15/8"	7/8"

Base Metals: Brass, stainless steel (select products - see price list for availability) Closet Door Pull Mounting: $8-32 \times 1$ THMS (Standard drawer thickness is 3/4"; advise if other than 3/4") Flush Pull Mounting: $48 \times 3/4$ OHSMS (Minimum door thickness is 1")

Straight and offset post mount pulls are available in most architectural finishes including stainless steel. Custom sizes are readily available. RM1200 and RM1300 Series are available with our MicroShield® antimicrobial finish US32DMS. GripZone design is practical and attractive.

Small PostMount Pulls

for cabinets, casework and closet doors



















Small Pulls

Pull No.	Post	End	Diameter	CTC*
RM1200	Straight	Square	1/2"	4", 5", 6", 8", 10", 12"
RM1210	Straight	Square	5/8"	5", 6", 7", 8", 10", 12"
RM1230	Offset	Square	5/8"	5", 6", 7", 8", 10", 12"
RM1240	Straight	Round	1/2"	4", 5", 6", 8", 10", 12"
RM1250	Straight	Round	5/8"	5", 6", 7", 8", 10", 12"
RM1270	Offset	Round	5/8"	5", 6", 7", 8", 10", 12"

Small GripZone Pulls

Pull No.	Post	End	Diameter	стс*
RM1300	Straight	Square	1/2"	4", 5", 6", 8", 10", 12"
RM1310	Straight	Square	5/8"	5", 6", 7", 8", 10", 12"
RM1330	Offset	Square	5/8"	5", 6", 7", 8", 10", 12"
RM1340	Straight	Round	1/2"	4", 5", 6", 8", 10", 12"
RM1350	Straight	Round	5/8"	5", 6", 7", 8", 10", 12"
RM1370	Offset	Round	5/8"	5", 6", 7", 8", 10", 12"

^{*} Any size to order

We offer our full size pull design to these small pulls. The attractive features and textures make an interesting addition to the small pull range. Custom sizes and grips are available on special order.

Small PostMount Pulls

for cabinets, casework and closet doors



















NoirMet Pulls (Black Aluminum Grip)

Pull No.	Post	End	Diameter	СТС
RM1410	Straight	Square	5/8"	5", 6"
RM1430	Offset	Square	5/8"	5", 6"
RM1450	Straight	Round	5/8"	5", 6"
RM1470	Offset	Round	5/8"	5", 6"

ArborMet Pulls (Wood Grip)

Pull No.	Post	End	Diameter	стс
RM1510	Straight	Square	5/8"	5", 6"
RM1530	Offset	Square	5/8"	5", 6"
RM1550	Straight	Round	5/8"	5", 6"
RM1570	Offset	Round	5/8"	5" 6"

Base Metals: Brass, stainless steel

Mounting: 8-32 x 1 THMS (Standard drawer thickness is 3/4"; advise if other than 3/4")

 $Options: \ Custom \ sizes \ made \ to \ order.$

Coat Hooks















Coat Hooks

Hook No.	Size
RM801	11/4" x 13/4"
RM802	11/4" x 23/4"

Hook No.	Size	
RM803	1" x 2"	
DMQOA	1" v 2"	

Hook No.	Size
RM805	1" x 1 ³ / ₄ "
RM806	1" x 3"

Hook No.	Size
RM807	11/4" x 21/4"
RM808	1 ¹ / ₄ " x 3 ¹ / ₂ "



Hook No.	Size
RM809	1 ³ /8" × 1 ⁹ /16"
RM810	1 ³ / ₈ " x 21 ³ / ₁₆ "



Hook No.	Size
RM811	3/4" x 11/2"



Hook No.	Size
RM812	1 ¹ / ₄ " x 2 ¹ / ₄ "

Our collection of coat hooks is a sturdy alternative to more common fare. Most architectural finishes are available. Standard attachment hardware is for wood doors. Specify if you are using on metal or glass doors.

Coat Hooks







Coat Hooks Hook No.

RM820


RM821

Size

1/2" x 15/8"

1/2" x 21/8"







Hook No.	Size
RM828	3/4"W x 27/8"
RM829	$^{3}/_{4}$ "W x $1^{5}/_{8}$ "

73

Our collection of door stops features our DuraFlex bumper material that outlasts other manufacturers' rubber bumpers many times over. It stays resilient and colorfast for years. These new styles offer solutions for wall, floor and baseboard stops. The door stops are available in most architectural finishes.

Door Stops





Floor Mounted Stops

Stop No.	Description	Base	Projection
RM850	Short-Square Top	11/4"	11/2"
RM851	Tall-Square Top	11/4"	21/2"
RM855	Short-Round Top	11/4"	13/4"
RM856	Tall-Round Top	11/4"	23/4"








Wall Mounted Stops

Stop No.	Bumper	Base	Projection
RM860	Convex	15/8"	13/32"
RM861	Concave	15/8"	13/32"




Base Board Mounted Stops

Stop No.	Base Plate	Base	Projection
RM870	No	5/8"	11/2"
RM871	No	5/8"	31/4"
RM872	No	5/8"	33/4"
RM875	Yes	1"	11/2"
RM876	Yes	1"	31/4"
RM877	Yes	1"	33/4"

We offer a selection of push and pull plates hand finished in our factory to match our pulls. All plates are .050" thick and available in screw or adhesive mounting. Custom engraved signs and plates are readily available.

Push Plates, Pull Plates & Signage

PULL





Push and Pull Plates – Square Corners **Screw Mount**


Plate No.	Engraved	Size
RM1020	Blank	4" x 22"
RM1020H	PUSH	4" x 22"
RM1020L	PULL	4" x 22"

Add pull # to completely specify pull plate. Any size made to order.



Indicator Plates - Adhesive Mount


Plate No.	Engraved	Diameter
RM1110H	PUSH	1"
RM1110L	PULL	1"
RM1120H	PUSH	21/2"
RM1120L	PULL	21/2"



Push and Pull Plates - Radius Ends **Adhesive Mount**

Plate No.	Engraved	Size
RM1030	Blank	4" x 22"
RM1030H	PUSH	4" x 22"
RM1030I	PULL	4" x 22"

Add pull # to completely specify pull plate. 4" width by any length made to order.



Push and Pull Plates - Radius **Ends Screw Mount**

Push and Pull Plates - Square **Corners Adhesive Mount**

Engraved

Add pull # to completely specify pull plate.

Blank

PUSH

PULL

Size

4" x 22"

4" x 22"

4" x 22"

Plate No.

RM1010

RM1010H

RM1010L

Plate No.	Engraved	Size	
RM1040	Blank	4" x 22"	
RM1040H	PUSH	4" x 22"	
RM1040I	PHH	4" x 22"	

Add pull # to completely specify pull plate. 4" width by any length made to order.

Indicator Plates

Plate No.	Engraved	Size	Mounting
RM1150M	MEN	2" x 4"	Adhesive
RM1150W	WOMEN	2" x 5 ³ / ₄ "	Adhesive
RM1160M	MEN	2" x 4"	Screw
RM1160W	WOMEN	2" x 5 ³ / ₄ "	Screw


Matching custom signs readily available.



Our offset pivots are precision manufactured for smooth operation and durability. They are available in standard duty or heavy duty versions in configurations for most applications. See our Architectural Hardware catalog for more styles and ordering information.


Custom Pivots





Standard Head Pivots

Pull No.	Width	Material Size
CP10	1"	3/8" thick for doors up to 200 lbs.
CP10HD	1"	1/2" thick for doors over 200 lbs.
CP20	7/8"	$\frac{3}{8}$ " thick for doors up to 200 lbs.
CP20HD	7/8"	1/2" thick for doors over 200 lbs.



Standard Floor Pivots

Pull No.	Width	Material Size
CP40	1"	3/8" thick for doors up to 200 lbs.
CP40HD	1"	1/2" thick for doors over 200 lbs.
CP50	7/8"	$\frac{3}{8}$ " thick for doors up to 200 lbs.
CP50HD	7/8"	1/2" thick for doors over 200 lbs.

Custom Capabilities



ASSA ABLOY

The global leader in door opening solutions

Leather Craftsmanship General Information

Maintenance: Upholstery Leather has a breathable protective finish that is best cleaned by wiping with a cool damp cloth. For tougher soiling, use a pH balanced soap on a cloth and rinse. Always use cool water. Repeat if necessary. Do not use wax, mink oil, saddle soap or polishes on upholstery leather. Leather Maintenance Kits are available from the factory.

English Bridle Leather leaves our factory with a coat of Sedgwick Leathercare Product, a mixture of natural oils, fats and beeswax. Clean the leather as necessary with a damp cloth and allow to dry. Apply a light coat of leather care product, allow to dry and buff with a soft cloth. Additional Sedgwick Leathercare Product is available from the factory.

Finishes: This catalog features product photographs of leather wrapped stainless steel door pulls. We also make many of these products in brass and bronze base material with a variety of architectural finishes.

Standard Color Selections

English Bridle Leather



(Light Brown)

B-BUR



(Medium Brown)





Upholstery Leather

U-DBRN
(Dark Brown)



Leather: Rockwood pulls feature Bridle leather produced by J & E Sedgwick & Co., Ltd., Walsall, England. Founded in 1900, Sedgwick is renowned for its high quality leather products. Their 8-ounce hand-colored vegetable tanned English Bridle leather enjoys the reputation of being the finest in the world; you can be assured of a beautiful, durable leather door pull. For more information on Sedgwick leathers visit their website at www.je-sedgwick.co.uk.

In addition to our selection of fine English Bridle and Upholstery leathers, you may specify a custom leather application. We recommend Spinneybeck as a source for custom leather applications; see www.spinneybeck.com. Minimum charges apply for special order leather.


Leather Craftsmanship






English Bridle leather pulls are beautifully crafted in a variety of colors and styles. Detail end stitching compliments the tight fitting leather cover. The sewn seam on the back of the pull is a work of art itself. Typically used for saddles and other equestrian products, this smooth durable leather is suitable for both interior and exterior applications. A full wrap version is available on square end pulls. See page 86 for leather color selection and more information.

English Bridle Leather straight & offset pulls



Pulls - Square Ends


Pull No.	Post	Diameter*	OA
RM6000	Straight	1"	up to 96"
RM6010	Straight	11/4"	up to 96"
RM6020	Straight	11/2"	up to 96"
RM6030	Offset	1"	up to 96"
RM6040	Offset	11/4"	up to 96"
RM6050	Offset	11/2"	up to 96"



Pulls - Round Ends


Pull No.	Post	Diameter*	OA
RM6004	Straight	1"	up to 96"
RM6014	Straight	11/4"	up to 96"
RM6024	Straight	11/2"	up to 96"
RM6034	Offset	1"	up to 96"
RM6044	Offset	11/4"	up to 96"
RM6054	Offset	11/2"	up to 96"





Long Pulls - Square Ends

•	•		
Pull No.	Post	Diameter*	OA
RM6060	Straight	1"	up to 96"
RM6061	Straight	11/4"	up to 96"
RM6062	Straight	11/2"	up to 96"
RM6070	Offset	1"	up to 96"
RM6071	Offset	11/4"	up to 96"
RM6072	Offset	11/2"	up to 96"



Long Pulls - Round Ends

-			
Pull No.	Post	Diameter*	OA
RM6080	Straight	1"	up to 96"
RM6081	Straight	11/4"	up to 96"
RM6082	Straight	11/2"	up to 96"
RM6090	Offset	1"	up to 96"
RM6091	Offset	11/4"	up to 96"
RM6092	Offset	11/2"	up to 96"

Base Metal: Brass, bronze, stainless steel

Options: • For optional mid-post, suffix the product number with "MP" (example: RM6061MP).

• Full wrap option is available up to 72" long (example: RM6061FW).

• Over 96" available on select finishes.


Note: Maximum leather length is 72".

^{*} Diameter of metal grip, leather thickness is about 1/8" additional.




Upholstery leather pulls are available in two standard colors or from a universe of custom leather. We use 3 to 4 ounce chrome tanned leather, tightly wrapped and neatly sewn along the back. Detail end stitching compliments this glove soft leather which is suitable for interior applications. See page 86 for leather color selection and more information.

Upholstery Leather straight & offset pulls



Pulls-Flat Ends

Pull No.	Post	Diameter*	OA
RM6100	Straight	1"	up to 96"
RM6110	Straight	11/4"	up to 96"
RM6120	Straight	11/2"	up to 96"
RM6130	Offset	1"	up to 96"
RM6140	Offset	11/4"	up to 96"
RM6150	Offset	11/2"	up to 96"




Pulls - Round Ends

Pull No.	Post	Diameter*	OA
RM6104	Straight	1"	up to 96"
RM6114	Straight	11/4"	up to 96"
RM6124	Straight	11/2"	up to 96"
RM6134	Offset	1"	up to 96"
RM6144	Offset	11/4"	up to 96"
RM6154	Offset	11/2"	up to 96"








Straight Pulls - Flat Ends

Pull No.	Post	Diameter*	OA
RM6160	Straight	1"	up to 96"
RM6161	Straight	11/4"	up to 96"
RM6162	Straight	11/2"	up to 96"
RM6170	Offset	1"	up to 96"
RM6171	Offset	11/4"	up to 96"
RM6172	Offset	11/2"	up to 96"



Pulls - Round Ends

Pull No.	Post	Diameter*	OA
RM6180	Straight	1"	up to 96"
RM6181	Straight	11/4"	up to 96"
RM6182	Straight	11/2"	up to 96"
RM6190	Offset	1"	up to 96"
RM6191	Offset	11/4"	up to 96"
RM6192	Offset	11/2"	up to 96"

Base Metal: Brass, bronze, stainless steel

Options: • For optional mid-post, suffix the product number with "MP" (example: RM6161MP).

• Over 96" available on select finishes.

Note: Maximum leather length is 72".

^{*} Diameter of metal grip, leather thickness is about 1/8" additional.



Our expertly fitted and sewn leather is available in a flush wrap style. The clean lines of this model create a classic design shown here in black English Bridle leather. The leather fits neatly into the surface of the metal grip providing a smooth transition to solid metal ends and the comfortable feel of genuine leather. It is available in both English Bridle and Upholstery leather in a variety of colors. See page 86 for leather color selection and more information.


Flush Leather

straight & offset pulls










Pulls - Square Ends

Pull No.	Post	Diameter	CTC*
RM6300	Straight	1"	10", 12"
RM6310	Straight	11/4"	12", 16"
RM6320	Straight	11/2"	12", 16"
RM6330	Offset	1"	10", 12"
RM6340	Offset	11/4"	12", 16"
RM6350	Offset	11/2"	12", 16"


Up to 96" CTC available with mid-post.




Pulls - Round Ends


Pull No.	Post	Diameter	CTC*
RM6304	Straight	1"	10", 12"
RM6314	Straight	11/4"	12", 16"
RM6324	Straight	11/2"	12", 16"
RM6334	Offset	1"	10", 12"
RM6344	Offset	11/4"	12", 16"
RM6354	Offset	11/2"	12", 16"

Up to 96" CTC available with mid-post.









ASSA ABLOY

The global leader in door opening solutions




Our smooth durable English Bridle leather and glove soft Upholstery leather are available on our ergonomically agreeable oval and flat oval shape pulls. We make these pulls in both standard and full height sizes. Leather wrapping options include partial and full wrap. See page 86 for leather color selection and more information.

Straight Oval

Pull No.	Post	Grip Size*	CTC**
RM6200	oval	1" x 11/2"	12", 16"


Up to 96" CTC available.



Flat Oval - Small Post

Pull No.	Post	Grip Size*	CTC**
RM6220	3/4"	3/4" x 11/2"	12", 16"

Up to 96" CTC available.



Flat Oval - Oblong Post


Pull No.	Post	Grip Size*	CTC**
RM6240	3/4" x 11/2"	3/4" x 11/2"	12". 16"

Up to 96" CTC available.

Leather Oval

ergonomic pulls






Flat Oval - Large Post


Pull No.	Post	Grip Size*	CTC**
RM6230	1"	3/4" x 11/2"	12", 16"


Up to 96" CTC available.

Application Suggestions









Other Length Ordering Options

Specify a mid-post on full height pulls to provide the most rigid grip where heavy doors or high wind loads are present.

Base Metal: Stainless steel

Options: Over 96" available on select finishes.

- * Size of metal grip, leather thickness is about $1\!/\!\!8$ " additional.
- ** Standard overall length is 4" greater than CTC for pulls up to 36" CTC, and 6" greater than CTC for pulls 36" CTC and larger. Maximum leather length is 72".
- * Size of metal grip, leather thickness is additional.



The glove soft Upholstery Leather and durable smooth English Bridle Leather (shaved thin to fit small diameter grips) provide a refined finish detail beyond comparison. Available in a variety of colors, see page 86 for color specifications.

Small Leather Pulls

for cabinets, casework and closet doors





















Surface Wrapped

Pull No.	Post	End	Diameter	CTC*		
RM6500	Straight	Square	1/2"	4", 5"		
RM6510	Straight	Square	5/8"	5", 6"		
RM6530	Offset	Square	5/8"	5", 6"		
RM6540	Straight	Round	1/2"	4", 5"		
RM6550	Straight	Round	1/2"	5", 6"		
RM6570	Offset	Round	1/2"	5", 6"		



Flush Wrapped

Pull No.	Post	End	Diameter	CTC*
RM6610	Straight	Square	5/8"	5", 6"
RM6630	Offset	Square	5/8"	5", 6"
RM6650	Straight	Round	5/8"	5", 6"
RM6670	Offset	Round	5/8"	5", 6"

Full Wrapped - Square End (Bridle Leather only)

Pull No.	Post	Diameter	CTC*
RM6700	Straight	1/2"	4", 5"
RM6710	Straight	5/8"	5", 6"
RM6730	Offset	5/8"	5", 6"



88

There are limitless varieties of leather designs and colors. This photo shows only a few examples. Most door pulls from our Architectural Door Pull catalog can be leather covered as well. Our experienced staff is available to work with you to create a pull that meets the needs of your situation. Please call our office with your inquiry.

Custom Leather Applications



